



www.carolinastair.com



CAROLINA

STAIR SUPPLY

EDITION 13
**Wood
& Iron**

Search
Houzz.com
for Carolina
Stair



316 Herrick Street, Uhrichsville, Ohio 44683

Tel: 800-364-3269

Tel: 740-922-3333

Fax: 740-922-3330

Table of Contents

Special Order Species 2

Contemporary Series..... 5

Buckeye Series 6

Hampton Series 7

Carolina Series..... 8-9

Square Savannah Series 10

Savannah Series 11

Biltmore Series..... 12

Traditional Series..... 13

Victorian Newels 14

Victorian Accessories 15

Rail Profiles 16-17

Fittings - Quarterturns, Goosenecks 18

Fittings - Easements, Caps, Turnouts, Volutes 19

Linear 20

Treads, Riser, Linear Items..... 21

Custom Turnings 22-31

Iron Finish Options 32

Powder Coated Regular Twist & Scroll..... 33

Tapered & Hammered Balusters 34

Ribbon Twist 35

Forged Gothic 36

Hand Forged Balusters 37

Wave & Curl Forged Balusters 38

Knee Wall Balusters 39

Square Stamped & Modern 40

Iron Accessories & Rail Zip Clip 41

Fusion & Horizontal Bar 43

Olé Iron Slides™ Indoor & Outdoor 44-45

Accessories 46

Sliding Barn Doors 47



316 Herrick Street, Uhrichsville, Ohio 44683

Tel: 800-364-3269
Tel: 740-922-3333
Fax: 740-922-3330

The 3X Concept

Developed to increase ordering efficiency, the 3X Concept ensures a perfect fit by simply trimming off the excess length from the top of the baluster. It can be applied to the following:

Page 9:	#4415-P	
	#4415-F	
	#4415-T	
Page 11:	#5011-P	Page 12: #5715-P
	#4011-P	#5715-F
	#4011-F	#5715-R



We also offer a priming service for all of our products. Available in flat or gloss white finish.

Pictured:
Left: 5015
Right: 4003-F

All newels and balusters featured in this catalog are available in Oak or Poplar.


In addition to our Oak and Poplar parts that we stock, we are pleased to offer all of the products in this catalog, by special order, in the following species:



Carolina Stair featured in Southern Living Magazine’s Texas makeover Idea House.




“Courtesy Time Inc., including its Southern Living division, photograph by Hector Manuel Sanchez. SOUTHERN LIVING is a registered trademark of Time Inc. and is used with permission.”



0150-P Round Pool Cue 1-3/16" x 36" 1-3/16" x 39" 1-3/16" x 41" Includes Dowel	0175-P 1-3/4" x 31" 1-3/4" x 34" 1-3/4" x 36" 1-3/4" x 39" 1-3/4" x 42"	0125-P 1-1/4" x 31" 1-1/4" x 34" 1-1/4" x 36" 1-1/4" x 39" 1-1/4" x 42"	0175-F 1-3/4" x 31" 1-3/4" x 34" 1-3/4" x 36" 1-3/4" x 39" 1-3/4" x 42"	0125-VFL 1-1/4" x 31" 1-1/4" x 34" 1-1/4" x 36" 1-1/4" x 39" 1-1/4" x 42"	0175-VFL 1-3/4" x 31" 1-3/4" x 34" 1-3/4" x 36" 1-3/4" x 39" 1-3/4" x 42"
---	---	---	---	---	---

800-364-3269

Available in most species



4050-A 3" x 48" 3" x 60"	4050-B 3-1/2" x 48" 3-1/2" x 60"	4003-P 3-1/2" x 48" 3-1/2" x 60"	4002-P 3" x 48" 3" x 60"	4002 and 4003 Available Fluted by Special Order	4004-BT 3" or 3-1/2" x 48" 4005-BT 3" or 3-1/2" x 60" 4006-BT 3" or 3-1/2" x 72"	4004-TD 3" or 3-1/2" x 48" 4005-TD 3" or 3-1/2" x 60" 4006-TD 3" or 3-1/2" x 72"	4007-DT 3" or 3-1/2" x 48" 4008-TD 3" or 3-1/2" x 60" 4009-TD 3" or 3-1/2" x 72"
---------------------------------------	---	---	---------------------------------------	--	--	--	--

Also available in Mushroom Tops


Contemporary

Newels



Newels

6

Buch



800-364-3269



Available in most species

The drawing shows five balusters with the following dimensions and codes:


- 4642** (Now Available With or without Crosshatch Acorn Top With Special Order): 3-5/8" top diameter, 6-1/2" top section, 16-3/8" middle section, 20-1/4" bottom section.
- 4642 P (6-1/2" Top)**: 3-1/2" x 48", 3-1/2" x 60".
- 3642 (6-1/2" Top)**: 3" x 48", 3" x 60".
- 4642 P (10" Top)**: 3-1/2" x 48", 3-1/2" x 60".
- 3642 (10" Top)**: 3" x 60".
- 4642 P (13" Top)**: 3-1/2" x 60".
- 3642 (13" Top)**: 3" x 60".
- 4610 P**: 28-3/8" top section, 19-5/8" bottom section.
- 3610**: 3" x 48", 3" x 60".
- 4661 P**: 40" total height, 1" top section, 6" bottom section.



This series available in octagon by special order.

(Excluding # 5205P & #5200P)

Flam




Hampton

Newton

7

 This series available in octagon by special order.




800-364-3269


 This series available in octagon by special order.




4442
Now Available
With or without
Crosshatch
Acorn Top
With Special Order



When ordering #4442 series, please specify 5", 10", or 13" top. 10" & 13" Top Available in 60" Only





Available in most species





By Special Order

800-364-3269



Available in most species



Imperial

Varies With Length

7-3/4"

5715-P
Plain

1-1/2 or 1-3/4" x 3X"
1-1/2 or 1-3/4" x 39"
1-1/2 or 1-3/4" x 41"

5715-F
Fluted

1-1/2 or 1-3/4" x 3X"
1-1/2 or 1-3/4" x 39"
1-1/2 or 1-3/4" x 41"

5715-R
Reeded

1-1/2 or 1-3/4" x 3X"
1-1/2 or 1-3/4" x 39"
1-1/2 or 1-3/4" x 41"

Varies With Length

7-3/4"

7"

Varies With Length

7-1/2"

10-1/2"

5067

1-1/4" x 31"
1-1/4" x 34"
1-1/4" x 36"
1-1/4" x 39"
1-1/4" x 41"

5015

1-1/4" x 31"
1-1/4" x 34"
1-1/4" x 36"
1-1/4" x 39"
1-1/4" x 41"

5014

1-1/4" x 31"
1-1/4" x 34"
1-1/4" x 36"
1-1/4" x 39"
1-1/4" x 41"

5015 LB
41"
No Dowel

5015 Primed

Available in domestic or imported

SMT

BT

MT

Below are examples of the newel top options that are available for the items in our Traditional line of Wood Stair Parts.

All traditional balusters can be fluted, twisted, or reeded upon request.

Traditional

Newels

3-1/2"

5"

25"

14"

4742-P
Plain

3-1/4" x 48"
3-1/4" x 60"

4742-F
Fluted

3-1/4" x 48"
3-1/4" x 60"

4742-R
Reeded

3-1/4" x 48"
3-1/4" x 60"

4710-P
Plain

3-1/4" x 48"
3-1/4" x 60"

4710-F
Fluted

3-1/4" x 48"
3-1/4" x 60"

26-3/4"

4710 Also Available in Reeded

2-1/2"

5"

24-1/2"

1640

3" x 48"
3" x 54"
3" x 60"
3" x 72"

1641

3" x 48"
3" x 60"
3" x 72"

1642

3" x 48"
3" x 60"

1643

3" x 60"
3" x 72"

1646

Same as 1643, but with 16" Top

1600

3" x 48"
3" x 54"
3" x 60"
3" x 72"

1605

3" x 48"
3" x 60"

1606
Round Base

3" x 38"
3" x 41"
3" x 44"

1607
Square Base

3" x 38"
3" x 41"
3" x 44"

4010

3" x 48"
3" x 60"

4040

3" x 48"

4042

3" x 54"

4043

3" x 60"

4045

3" x 48"
3" x 60"
3" x 72"

4046


3" x 60"
3" x 72"

60" Available in 5", 10" or 13" Top Block Please specify when ordering.
Newels Also Available in 3-1/2" by Special Order.

Newels


12

13











































800-364-3269

Available in most species




4091 Caps for Box Newels.
Can make virtually any fitting.
Can make to fit 4091, 4092, 4095 or 4392
Customer must specify


4091, 4095 & 4392
EZ Mount
Box Newel
Mount



Fittings are available in the following series: 70, 71, 72, 73, 75, 76, 77, 78 & 79. Reference pages 16 & 17 for other available profiles




800-364-3269




All goosenecks are shipped with easements unattached. Custom angles available on quarter turns. Well hole fittings are 5-1/2" from Center of Rail to Center of Rail

Fittings are available in the following series: 70, 71, 72, 73, 75, 76, 77, 78 & 79. Reference pages 16 & 17 for other available profiles



Available in most species




70 & 73 Series are 4-7/8" from center of newel to center of handrail.
All other profiles are 5-1/8".

4-7/8" From Center of Newel to Center of Handrail


2-7/8" From Center of Newel to Center of Handrail



8085
Nosing
1-1/16" x 1-1/2"



8090
Landing Tread
1-1/16" x 3-1/2"



8095
Landing Tread
1-1/16" x 5-1/2"



8097
Landing Tread
1-1/16" x 7-1/2"



6910 - Cove Mold
3/4" x 3/4"



6904 - Cove Mold
1/2" x 5/8"



6902 - Cove Mold
5/8" x 5/8"




6912
Stringer Mold
1-3/8" x 5/8"



6915
Stringer Cap
5/8" x 1/2"




6040
Wall Rail
1-1/2" x 1-1/2"




6042
Wall Rail
1-5/16" x 2-1/4"



6043
Wall Rail
1-3/4" x 1-5/8"



6044
Fusion Handrail
2-1/8" w x 2" h
7/8" Flat Bottom



1001-MS



1000
Fillet
3/16" x 1-1/4"
3/16" x 1-3/4"



1001
Shoe Rail
3/4" x 3-1/8" x 1-3/4" Plow
3/4" x 2-3/8" x 1-1/4" Plow



1002
Flat Fillet
3/16" x 1-1/4"
3/16" x 1-3/4"


Available
Sizes
1-1/2"
1-3/4"
2"
2-3/8"
2-7/8"
2-1/8"



RND-1
Round Rail
Special Order



8010
Reversible Single
"Bull Nose" Starting Step
Specify: 36", 42", 48", 54" or 60"
Measurement is distance from "notch to notch."
Also available in bowed front.



8015
Double Starting Step
Specify Size - Measurement is distance from "notch to notch."
Also available in bowed front.




8010 F
Reversible False End
Starting Step




8070
10-1/2" Tread
8071 11-1/2" Tread
Specify " 36", 42", 48" 54", 60" or 72"
1-1/2" Mitre Return: RH, LH or Double


8072, 8073, 8074, 8075 & 8076
Available prefinished in stock Minwax colors




8072
False End
(No M.R.)




8074
M.R. False End
Specify: RH or LH



8073-FALTR
36, 42, 48, 60
False full-length tread.
Left hand or right hand available upon request.
Available prefinished in stock Minwax colors



8075-FALTR
36, 42, 48, 60
False full-length tread.
Left hand or right hand available upon request.




8076
False Riser
1/2" thick



Winder Tread Panels
8078-TPNL
1" x 25" x 42"
1" x 25" x 48"
1" x 25" x 60"



97 "STR" Stringer
1" or 3/4" thick




8080
Riser
Specify Size:
3/4" x 36", 42", 48", 54" or 60"
1 x 8" S4S 1 x 6" S4S 1 x 4" S4S


Treads & Risers

20


21



Custom Profiles




Available in most species




Floridian Series

Custom Profiles



Carrabelle Series




800-364-3269




Available in most species







800-364-3269



Available in most species

*All custom newels can be turned in various blank sizes. Changing the size may alter some of the detail.







800-364-3269




Available in most species

*All custom newels can be turned in various blank sizes. Changing the size may alter some of the detail.







800-364-3269



Available in most species

*All custom newels can be turned in various blank sizes. Changing the size may alter some of the detail.





Iron

316 Herrick Street, Uhrichsville, Ohio 44683

Tel: 800-364-3269
Tel: 740-922-3333
Fax: 740-922-3330



Finish Options

Finish Options

The process of powder coating involves applying dry pigments using an electrostatic process, then baking them on to create a lasting and durable, as well as beautiful, finish.

The products found in the following section implement the powder coating technique. When ordering, please use the Finish Options Guide below.

Please indicate the type of finish by using the following abbreviations:

- AN = Antique Nickel
- B = Flat Black Powder Coat
- SP = Grey Speckled Powder Coat
- SAT = Satin Black
- CV = Copper Vein Powder Coat
- ORC = Oil Rubbed Copper
- ORB = Oil Rubbed Bronze


Example: CS 16.5.5-B = Carolina Stair Flat Black Twist & Basket Newel

 AN	 SAT
 SP	 B
 CV	 ORC
 ORB	<i>Iron Chain Color Samples Available Upon Request</i>



800-364-3269



S and T in the available color charts refers if an item is available in solid or tube





800-364-3269



S and T in the available color charts refers if an item is available in solid or tube





800-364-3269

S and T in the available color charts refers if an item is available in solid or tube







Iron Balusters

Wave & Curl Forged

800-364-3269

S and T in the available color charts refers if an item is available in solid or tube





Knee Wall Balusters

Regular Twist and Knuckle



800-364-3269

S and T in the available color charts refers if an item is available in solid or tube



Epoxy Kit

800-364-3269

S and T in the available color charts refers if an item is available in solid or tube



Zip Clip Installation



1
Install Clip To Handrail and Tread



2
Slide Iron Baluster In Place With Shoes Installed



3
Snap Retaining Clip In Place



4
Slide Shoe In Place And Tighten



2 Flat Shoes
Z-CS16.3.1
1/2" Opening
SAT, ORC, ORB



1 Pitch & 1 Flat Shoe
Z-CS16.3.2
1/2" Opening
SAT, ORC, ORB



2 Pitch Shoes
Z-CS16.3.4
1/2" Opening
SAT, ORC, ORB

Zip Clip Shoe Dimensions


Flat Shoe = L 1-7/16" x W 1-7/16" x H 1-1/4"
Pitch Shoe = L 1-1/4" x W 1-1/4" x H 2-1/2"



Custom Box Newel by CSS • Baluster: CSPLA • Rail: R15 • Fittings: Oversize R15-10 Cap



Custom Box Newel by CSS • Horizontal Bar: T-CS 5.1.1-SAT • Rail: 8700 • Tread: 8075



Iron Balusters

Fusion & Horizontal Bar

Ole' Iron Slides™

With the advent of the adjustable iron slide baluster, the do it yourself person can now design and install their own balustrade. Using only a drill, screwdriver and an allen wrench, the adjustable iron baluster can replace your old wood spindles without the expense of a professional. Leave your wood rail and newels in place, remove the wood spindles and replace them with a wrought iron balustrade quickly and without a big mess. Presto, you have a new design flavor for your living area.

Scan this code to watch the video





Before



After

Paten No.:
7,614,612 B2 7,909,311 B2 D610,716 S D637,315 S
8,418,335 B2 D614,477 S 8,978,337 B2

Each baluster comes with loose ISSW in the package.



Also Available in Outdoor Aluminum Balusters
Telescoping from 34" - 42"

MISTW-EXT-SAT
Ends: 5/8" Aluminum
Twist



MISBAS-EXT-SAT
Ends: 5/8" Aluminum
Basket



Telescopes
26-3/4" - 32-1/4"




Items 1030 & 1032 available in the following finishes:
Bright Brass • Antique Brass • Dull Chrome • Satin Nickel
Satin Black • Oil Rubbed Bronze • Oil Rubbed Copper



Sliding Barn Doors

And Sliding Barn Door Hardware



Red Oak: 36" Barn Door	Poplar: 36" Barn Door	Hickory: 36" Barn Door	Hardware
Unassembled: BD-DOOR-U-36-O Assembled: BD-DOOR-A-36-O	Unassembled: BD-DOOR-U-36-P Assembled: BD-DOOR-A-36-P	Unassembled: BD-DOOR-U-36-H Assembled: BD-DOOR-A-36-H	Track and Rollers: BD-TRACK-SAT



CAROLINA

STAIR SUPPLY

316 Herrick Street, Uhrichsville, Ohio 44683

Tel: **800-364-3269**

Tel: **740-922-3333**

Fax: **740-922-3330**

