



Crown[®]
Heritage



3404 Balusters
& 4094NS Box Newel

TABLE OF CONTENTS

Quick Reference Guide	2-3	Box Newels.	45-52
Handcrafted Forged Iron.	3-22	Stain Grade Box Newels.	45-46
Forged Iron Finish Options	4	Primed Box Newels	45-38
Forged Iron Collections	5-20	Design Your Own Box Newels	49-50
Palermo	5-6	Box Newel Accessories.	51-52
Hollow Knee-Wall Balusters	7	Sierra.	53-54
Extra Large.	8	Williamsburg	55
Sicily	9-10	Jefferson	56
Milan.	11-12	1800s	57-58
Vicenza	13-14	Carolina	59-60
Marsala	15-16	Hampton.	61-62
Florence.	17-18	Colonial	63-64
Forma	19-20	Craftsman	65-66
Iron Components	21-22	Custom Products.	67-70
Euro-Slim Tubes	23-24	Fittings & Components	71-79
Cable and Aluminum Railings	25-40	Fittings	71-72
Cable-Flex Series.	25-26	Handrail and Shoerails.	73
300/500 Series.	27-28	Wall Rails, Rail Accessories	
102 Series.	29-30	and Rosettes	74
224 Series.	31-32	Treads and Risers	75-76
200 Surface Mount.	33-34	Starting Steps.	77
250 Surface Mount.	35-36	False Tread Kits, Mouldings,	
200 Fascia Mount.	37-38	Brackets and Skirtboard	78
250 Rail Components.	39-40	Accessories & Hardware	79
Open Rise Stair Systems.	41-42	Stair Part Terms Illustrated & Defined	81-82
Spiral Stairways	43	Architecturally Correct Stairways	83-84
Hardwood Collections.	44-66	Over-the-Post Take-off Guide	83
		Post-to-Post Take-off Guide	84
		Index	85-88

IRON BALUSTERS

PALERMO COLLECTION

Pages 5-6

XL HOLLOW BALUSTERS

Page 8

SICILY COLLECTION

Pages 9-10

MILAN COLLECTION

Page 11



WOOD BALUSTERS

SIERRA COLLECTION

Page 53

WILLIAMSBURG COLLECTION

Page 55

JEFFERSON COLLECTION

Page 56

1800s COLLECTION

Page 57

CAROLINA COLLECTION

Page 59



NEWELS

SIERRA COLLECTION

Page 54

WILLIAMSBURG COLLECTION

Page 55

JEFFERSON COLLECTION

Page 56

1800s COLLECTION

Page 58

CAROLINA COLLECTION

Page 60

HAMPTON COLLECTION

Page 62

COLONIAL COLLECTION

Page 64



VICENZA
COLLECTION

Pages 13-14



MARSALA
COLLECTION

Page 15



ROMA
COLLECTION

Page 16




FLORENCE
COLLECTION

Pages 17-18



FORMA
COLLECTION

Page 19-20



HAMPTON
COLLECTION

Page 61



COLONIAL
COLLECTION

Page 63



CRAFTSMAN
COLLECTION

Page 65



CRAFTSMAN
COLLECTION

Page 66



STAIN GRADE AND
PRIMED BOX NEWELS

Page 45-47



HANDCRAFTED IRON BALUSTERS



*Pictured here with Satin Nickel balusters
3700, 3701 and 4086 newel.*

HANDCRAFTED IRON BALUSTERS

Available in nominal sizes of 12mm = 1/2", 14mm = 9/16", 19mm = 3/4" and 30mm = 1-3/16"

Satin Black



Satin Nickel



Rubbed Copper



Silver Vein



Oil Rubbed Bronze



Ash Gray




AVAILABLE IN
SIX COLOR FINISHES

PALERMO COLLECTION




1101 (Solid)
3101 (Hollow)
12mm



1102 (Solid)
3102 (Hollow)
12mm



1103 (Solid)
12mm



1113 (Solid)
12mm


Item Number	 Satin Black	 Satin Nickel	 Rubbed Copper	 Silver Vein	 Oil Rubbed Bronze	 Ash Gray
1101	•		•	•		
3101	•	•	•		•	•
1102	•		•	•		
3102	•	•	•		•	•
1103	•		•			
1113	•		•			
1121	•		•	•		
3121	•	•	•		•	•
1122	•		•	•		
3122	•	•	•		•	•
1190	•		•			
1191	•		•			

PALERMO COLLECTION

Note: Not all images are to scale. | All dimensions in inches unless specified.

NEWELS

3/4" is included in the overall height for the pin tops on the balusters.



Pictured here with Ash Gray balusters 3101 and 3102.




36" Iron Balusters

For your convenience 3101, 3102, 3121, 3122 and 3700 profiles are also available in 36" lengths. Ideal for balconies... just unwrap, install and go! Available in Satin Black.



KNEE WALL BALUSTERS




30" balusters are designed with tighter dimensions *specifically* for knee walls.

30" balusters are perfect for creating great visual style and alignment in a knee wall installation, while 44" balusters complement traditional landing heights.

Item Number	 Satin Black	 Satin Nickel	 Rubbed Copper	 Silver Vein	 Oil Rubbed Bronze
3101	•		•		
3102	•		•		
3121	•		•		
3122	•		•		
3708	•		•		


EXTRA LARGE HOLLOW BALUSTERS



Item Number	 Satin Black	 Satin Nickel	 Rubbed Copper	 Silver Vein	 Oil Rubbed Bronze
2101	•		•		
2102	•		•		
2121	•		•		
2122	•		•		
2700	•		•		
2701	•		•		
2702	•		•		
2708	•		•		



SICILY COLLECTION




Item Number	Satin Black	Satin Nickel	Rubbed Copper	Silver Vein	Oil Rubbed Bronze	Ash Gray
4700	•		•			
3404	•		•			
1700	•		•	•		
3700	•	•	•		•	•
1701	•		•			
3701	•	•	•		•	•
1702	•		•			
3702	•	•	•		•	•
1707	•		•			


SICILY COLLECTION

Note: Not all images are to scale. | All dimensions in inches unless specified.

3/4" is included in the overall height for the pin tops on the balusters.




1708 (Solid)
12mm



3708 (Hollow)
12mm




1750 (Solid)
12mm



Pictured here with
3701 & 3702 balusters.

Item Number					
1708	•		•		
3708	•		•		•
1750	•				

MILAN COLLECTION




MILAN COLLECTION

*Note: Not all images are to scale. | All dimensions in inches unless specified.
3/4" is included in the overall height for
the pin tops on the balusters.*



VICENZA COLLECTION




Item Number	Satin Black	Satin Nickel	Rubbed Copper	Silver Vein	Oil Rubbed Bronze
1301	•				
3301	•		•		
1302	•				
3302	•		•		
3321	•		•		
3322	•		•		
3331			•		
3332			•		
1391	•				

VICENZA COLLECTION

Note: Not all images are to scale. | All dimensions in inches unless specified.

3/4" is included in the overall height for the pin tops on the balusters.



NEWEL



1391
Newel



*Pictured here with 1301 & 1302
balusters and 3821 & 3811 shoes.*

MARSALA COLLECTION




Item Number	 Satin Black	 Satin Nickel	 Rubbed Copper	 Silver Vein	 Oil Rubbed Bronze
3060	•		•		•
1501	•				
3501	•	•	•		•
1502	•				
3502	•	•	•		•
1531	•				
3531	•		•		•

ROMA COLLECTION

Note: Not all images are to scale. | All dimensions in inches unless specified.

3/4" is included in the overall height for the pin tops on the balusters.



Pictured here with 3201, 3202 & 3212 balusters and 6210 handrail.

Item Number	Satin Black	Satin Nickel	Rubbed Copper	Silver Vein	Oil Rubbed Bronze
1201	•				
3201	•		•		•
1202	•				
3202	•		•		•
1212	•				
3212	•		•		•




FLORENCE COLLECTION




1060 (Solid)
14mm



1061 (Solid)
14mm



1062 (Solid)
14mm




1068 (Solid)
14mm

Item Number	 Satin Black	 Satin Nickel	 Rubbed Copper	 Silver Vein	 Oil Rubbed Bronze
1060	•		•		
1061	•		•		
1062	•		•		
1068	•				
1070	•				
1071	•				
1072	•				
1074	•		•		

FLORENCE COLLECTION

Note: Not all images are to scale. | All dimensions in inches unless specified.

3/4" is included in the overall height for the pin tops on the balusters.




Hammered Round Balusters

NOTE: 1070, 1071, 1072 and 1074 are hammered round therefore square shoes are not required. Any round iron baluster can be installed in round drilled holes and secured with Crown Heritage Epoxy.




FORMA COLLECTION



Item Number	Satin Black	Satin Nickel	Rubbed Copper	Silver Vein	Oil Rubbed Bronze
3401	•		•		
3402	•		•		
3403	•		•		
3406	•		•		
3407	•		•		
3405	•		•		
3408	•				
3409	•				

Note: Not all images are to scale. | All dimensions in inches unless specified.

3/4" is included in the overall height for the pin tops on the balusters.



Pictured here with 4091 newel and 3700 & 3409 balusters.

IRON COMPONENTS

SHOES



3811
(12mm)

3822
(14mm)

2811
(19mm)



3816
(12mm)
FB/RC/RB

3817
(14mm)
FB/RC/RB



3821
(12mm)

3822
(14mm)

2811
(19mm)

STRAIGHT BAR ACCESSORIES



1866
(12mm)



3831
(12mm)
FB/RC/AG/RB

3832
(14mm)
FB/RC



1861
(12mm)

NEWEL HARDWARE



1842
(30mm)



1843
Newel
installation
hardware.



1844
(30mm)
Use with 1843

HARDWARE

3037
2-Pack Epoxy
tips for 3039



3039
Epoxy Refill
Used with 3038 gun
(Includes 2 tips)



3038
Epoxy Gun



3137
6-Pack Epoxy Tips
Use with 3139



3139
15 Minute Epoxy
Works in standard
caulking gun
(Tips not included)





*Pictured here with
3700 & 1861 scroll accessory*

EURO-SLIM TUBES

HOLLOW ROUND
TUBES FEATURE
A THIN PROFILE
FOR AN ELEGANT
FINISH



CONTEMPORARY

TOUCH TO A TRADITIONAL DESIGN



SLIM DESIGN PROVIDES
AN ALTERNATIVE TO OTHER
HORIZONTAL OPTIONS



8FT. LENGTHS FOR
CUSTOM JOBSITE CUTS



MULTIPLE APPLICATIONS FOR
HORIZONTAL AND A VERTICAL
CONTEMPORARY LOOK



FAST AND EASY INSTALLATION
SATIN BLACK POWER COAT FINISH
TUBES MEASURE 5/8 IN. X 8 FT.

CABLE-FLEX SERIES

INSIDE MOUNT SYSTEM

SWAGELESS

(Swāj-less)

What does swage mean?

Swage means to attach a metal fitting onto the cable either by tool or mechanically at the factory. None of this is required in a swageless system. Swageless fittings are used with bulk cable. The cable is cut to length, then inserted into the fitting. The fittings contain a locking wedge system that grabs and locks the cable, making installation quick and easy.

Why swagless?

- Mix and match fittings to accomodate your design needs.
- Cut to exact length, less waste. Also, more room for error if you mis-cut.

Cable Spools available in:

100' (#4909100)

500' (#4909500)



FITTINGS & TOOLS

Available in level spans or stairways. Each section requires at least one tension fitting. All fittings available in single or 10 packs.



Level Tension End
(#3058)



Level Non-Tension
(#3059)



Stair Tension
(#3056)



Stair
Non-Tension
End
(#3057)



Installation Kit
(#3053FLX)

Includes:
Push lag driver (#3054)
(Also Sold Separately)
Release Keys (#3066)
(Also Sold Separately)
Wrenches
Drill Bits



Cable
Cutters
(#3068)

Note: Cable fittings not shown at actual size.

CABLE-300/500 SERIES

INSIDE MOUNT SYSTEM



FITTINGS & TOOLS

KITS CONVENIENTLY CONTAIN ALL FITTINGS NEEDED TO COMPLETE A RUN AND PRECUT LENGTHS OF CABLE

This is a swaged system meaning the cable has a mechanically attached fitting essential to the installation that is designed specifically for the fittings in the kit. The cable can only be cut from one end.

Series 300 (Level)
Available in 5', 10', 15', 20', 25'
and 40' kits.

Series 500 (Stairs)
Available in 5', 10',
15' and 20' kits.



Installation Kit
(Item #3053-300)
Includes:
Cable Gripping Tool (#3052)
(Also Sold Separately)
Release Keys (#3066)
(Also Sold Separately)
Wrenches
Drill Bits



CABLE-102 SERIES

OUTSIDE MOUNT SYSTEM



FITTINGS & TOOLS

3" THREADED STUD COMPLETELY CONCEALED INSIDE THE POST



- Budget friendly option
- Traditional stud system design
- All caps are included in kit
- Includes stud bushing to speed installation
- Cable kit lengths available in 5', 10', 15', 20', 25', 30', 40' and 50'.



102 / 224 Installation Kit
(#3053-224)

Includes:

Cut-off Wheel (#3069)

(Also Sold Separately)

Cable Gripping Tool (#3052)

(Also Sold Separately)

Release Keys (#3066)

(Also Sold Separately)

Wrenches

Drill Bits

CABLE-224 SERIES

OUTSIDE MOUNT SYSTEM



FITTINGS & TOOLS

CABLE DESIGNED SPECIFICALLY FOR 2-3/8" METAL POST



- Low-profile end caps
- Simple tensioning using only a hex key
- Kit includes washers for both wood and metal installations
- Cable kit lengths available in 5', 10', 15', 20', 25' and 40'



102 / 224
Installation Kit
(#3053-224)
Includes:
Cut-off Wheel
(#3069)
(Also Sold Separately)
Cable Gripping
Tool (#3052)
(Also Sold Separately)
Release Keys
(#3066)
(Also Sold Separately)
Wrenches



ALUMINUM-200 SURFACE MOUNT OVER THE POST




ALUMINUM OPTIONS



200 Handrail
Over-the-Post
(Available in 20' sections)



Aluminum is available
in both black and anodized.



Surface Mount
Base Plate Trim Kit (#0120)
Optional kit to cover
base plate.

Single Corner
Intermediate
(#362SC)



DID YOU KNOW?

A 200 profile rail
can be attached to a
wood post using an
end cap (#0112).



ALUMINUM-250 SURFACE MOUNT POST TO POST





RAIL PROFILES



250 Handrail
Post-to-Post
(Available in 20' sections)



Aluminum is available
in both black and anodized.



Connector Block (#0118) 8pk
Attach a 250 rail to post.

ALUMINUM-200 FASCIA MOUNT OVER THE POST



Aluminum is available
in both black and anodized.



200 Handrail
Over-the-Post
(Available in 20' sections)



Fascia Bracket (#0415)
Required for fascia installation



Double Post Corner
Fascia Bracket (#0416)
Required for fascia installation





STAIR COMPONENTS FOR 250 RAILING



Connector Block - Stairs
(#011812)

Attach a 250 rail to post.
12" block to easily cut
angles. Makes up to
10 connections.



Post Fitting
(#0412)

Continuous run over
intermediate post
using a 250 rail.



Post Cap
(#0410)









OPEN RISE STAIR SYSTEM


STRINGER OPTIONS



CONFIGURATION OPTIONS




COLOR OPTIONS



TREAD OPTIONS



Post Fitting
(Item# 0421)
For attaching a wood handrail continuous over posts.



Check with local building codes concerning open rise stairs. Each stringer ships with brackets to aid in the code compliance.

SPIRAL STAIRWAYS

Crown Heritage Spirals are designed to your specifications and completely assembled at the factory with a custom formed handrail, then re-packaged for easy assembly at the job site. Crown Heritage Spiral Stairs provide an easier installation and a more appealing look than typical kit stairs. Choose from 20 models. See all models and options at www.crownheritage.com.



Model D100



Model D105



Model D154

WOOD COLLECTIONS

Nothing compares to the natural beauty and timeless appeal of a wood balustrade. From traditional turned newel designs to handcrafted box newels, Crown Heritage offers what you need for your beautiful stair.




*Pictured here with 9015 baluster
and 4102 newel*

STAIN GRADE BOX NEWELS



PRIMED BOX NEWELS





INTERCHANGEABLE NEWEL CAP SYSTEM

Most box newels come with two interchangeable caps.



Bevel Cap



Square Cap

Box Newel Details

Hollow Bottom Newels	Installation Blocks	Sleeve	Two caps
Product #			
4082	Included	Order Separate	Included
4083	Included	Order Separate	Included
4091	Included	Included	Included
4092	Included	Included	Included
4093	Included	Included	Included
4096	Included	Included	Included
4097	Included	Order Separate	Included
4098	Included	Included	Included
4191	Included	Included	Included


4083 newel with
1061 and 1062 balusters



400065


PRIMED BOX NEWELS

4" PRIMED BOX NEWELS



ALL 4094 / 4095 NEWELS HAVE SOLID BOTTOMS

5" PRIMED BOX NEWELS






*Pictured with 5360 balusters
and 6310 handrail.*

DESIGN YOUR OWN NEWEL

NCT (NO CAP OR TRIM) PRIMED BOX NEWELS



4094NCT
(4" Post)

4094FNCT
(4" Post)

4094CNCT
(4" Post)

4095NCT
(5" Post)

4095FNCT
(5" Post)

4095CNCT
(5" Post)

STAIN GRADE CAP AND TRIM KIT OPTIONS

4094 / 4095 trim kit species options to be used with NCT newels available in plain, fluted or craftsman.



4094CCT (4" Post)
or 4095CCT (5" Post)
Craftsman Cap and Trim
Available in Red Oak,
White Oak
or Poplar



4094CT (4" Post)
or 4095CT (5" Post)
Peaked Cap and Trim
Available in Red Oak,
White Oak, Beech
or Maple



4094RCT (4" Post)
or 4095RCT (5" Post)
Raised Cap and Trim
Available in Red Oak,
White Oak
or Poplar



*Pictured here with 5360 balusters
and 4094CNCT newel post
with 4094CCT cap and trim.*


BOX NEWEL ACCESSORIES

STAIN GRADE BASE SLEEVES


PRIMED BASE SLEEVES




4076B Sleeve
Fits 4076/77




4082B Sleeve
Fits 4082/83/97




4076B Sleeve
Fits 4076



4082B Sleeve
Fits 4082/4083



4094B Sleeve
Fits 4094



4095B Sleeve
Fits 4095

HARDWARE

7-1/4" LANDING TREAD

3094
Starting Newel Attachment Kit



3074
12" Lag Screw




3094 assembly is required when a floor is hollow and no joist is available.

3074 is required for joist installations. This 12" lag screw ensures a stronger bond with the joist.

Warning: Standard 10" lag screws are not long enough to provide as secure a bond with the floor joist.



8097 Landing Tread



- A = Hollow Bottom Box Newel
- B = Sleeve
- C = Installation Block
- D = Finish Floor
- E = Sub-floor
- F = Starting Newel Attachment Kit
- G = 12" Lag Screw

BOX NEWEL FITTINGS*



721991 Starting Cap



722191 Quarter Turn



722091 Tandem Cap

*FITS WITH 6210 HANDRAIL AND 4091 BOX NEWELS



*Pictured with 4091 newel,
5370 balusters, 6210 handrail
and box newel fittings.*


WOOD

SIERRA COLLECTION



CROWN
SYSTEM®

3 LENGTH
SYSTEM

HANDRAILS—NOT PLOWED




This collection is most commonly paired with these not-plowed and plowed handrail profile options.




PIN TOP BALUSTERS


2011 3-length System 1 1/4"




2013 Crown System* 1 1/4"



2111 3-length System 1 3/4"



2115 Crown System 1 3/4"




HANDRAILS—PLOWED




SQUARE TOP BALUSTERS


2025 Crown System 1 1/4"




2105 Crown System 1 3/4"



OVER-THE-POST NEWELS - WITH PIN TOP



POST-TO-POST NEWELS - WITH BALL TOP



WILLIAMSBURG COLLECTION



HANDRAILS—NOT PLOWED

6310



6519



6210



HANDRAILS—PLOWED

6310P




6519P



6210P



This collection is most commonly paired with these not-plowed and plowed handrail profile options.




All dimensions in inches.

PIN TOP BALUSTERS - 1 3/4"

SQUARE TOP BALUSTERS - 1 3/4"


9015 Crown System*

PLAIN FLUTE ROPE



9005 Crown System

PLAIN FLUTE ROPE



All dimensions in inches.

OVER-THE-POST NEWELS - 3 1/2" WITH PIN TOP

POST-TO-POST NEWELS - 3 1/2" WITH PINEAPPLE TOP

PLAIN FLUTE ROPE



9012 (48") Universal Newel
9025 (56") Intermediate Newel

PLAIN




9013 (40 1/2") Volute Newel
Dowel is removable.

PLAIN FLUTE ROPE



9043 (56") Universal Newel

PLAIN



9048 (72") Intermediate & Second-floor Landing Newel

JEFFERSON COLLECTION

HANDRAILS—NOT PLOWED

6310



6519





6210



PIN TOP BALUSTERS - 1 3/4"

OVER-THE-POST NEWELS - WITH PIN TOP

8515 Crown System*



8510 (43") Universal Newel
8514 (48") Universal Newel
8525 (56") Intermediate Newel




8513 (41") Volute Newel
Dowel is removable.



8512 (43") Rake Newel


POST-TO-POST NEWELS - 3 1/2" WITH SPADE TOP



8542 (56") Universal Newel



8545 (56") Second-floor Landing Newel



8547 (58") Intermediate Newel



8515 Balusters & 8542 Newel

Jefferson Post-to-Post

1800s COLLECTION



HANDRAILS—NOT PLOWED

6310



6519



6210




This collection is most commonly paired with these not-plowed and plowed handrail profile options.



PIN TOP BALUSTERS


1815 Crown System* 1 3/4"

PLAIN REED OCTAG.



1825 Crown System 2 1/4"

PLAIN REED



HANDRAILS—PLOWED

6310P



6519P




6210P



SQUARE TOP BALUSTERS - 1 3/4"

1805 Crown System


PLAIN REED OCTAG.



Pictured with 1815 Balusters


OVER-THE-POST NEWELS - WITH PIN TOP

All dimensions in inches.



POST-TO-POST NEWELS - 3 1/2" WITH URN TOP

All dimensions in inches.



CAROLINA COLLECTION

HANDRAILS—NOT PLOWED

6310



6519




6210



This collection is most commonly paired with these not-plowed and plowed handrail profile options.

CROWN
SYSTEM

3 LENGTH
SYSTEM



PIN TOP BALUSTERS - 1 3/4"

2015 3-length System

PLAIN FLUTE TWIST OCTAG.



2016 Crown System*

PLAIN FLUTE TWIST



HANDRAILS—PLOWED

6310P



6519P



6210P



SQUARE TOP BALUSTERS - 1 3/4"


2005 3-length System

PLAIN FLUTE TWIST OCTAG.




2006 Crown System

PLAIN FLUTE TWIST




Pictured with 2016 fluted balusters and 4091 newel.

OVER-THE-POST NEWELS - WITH PIN TOP



POST-TO-POST NEWELS - $3\frac{1}{2}"$ WITH ACORN TOP

All dimensions in inches.



HAMPTON COLLECTION

CROWN
SYSTEM®

3 LENGTH
SYSTEM

HANDRAILS—NOT PLOWED

6310




6210



6519



This collection is most commonly paired with these not-plowed and plowed handrail profile options.



PIN TOP BALUSTERS

5200 3-length System 1 1/4"

PLAIN



27

7 11 15
34 38 42

5300 3-length System 1 3/4"

PLAIN



OCTAG.

Matching Profiles

27

7 11 15
34 38 42

5301 Crown System* 1 3/4"

PLAIN



26 3/4 29 1/4 30 3/4 35 3/4

7 3/4 35 37 1/2 39 44

HANDRAILS—PLOWED

6310P



6519P



6210P



6005P



5200 Balusters &
4270 Newel

Hampton Over-the-Post

SQUARE TOP BALUSTERS

5005 3-length System 1 3/4"

PLAIN




7

20

7 11 15
34 38 42

OCTAG.

PLAIN



5 3/4

17 1/2

7 3/4 12 3/4 18 3/4
31 36 42

5006 3-length System 1 3/4"

PLAIN



5 3/4

17 1/2

7 3/4 12 3/4 18 3/4
31 36 42

5007 1 5/8"

PLAIN



5 3/4

17 1/2

12 3/4 18 3/4
36 42

5007
specially for
use with
Hemlock
1-5/8"
plowed rail

61

5106 Crown System 1 3/4"

PLAIN



5 1/8

21 5/8

24 1/8 25 3/8 26 3/8
7 3/4 35 37 1/2 39 44

5205 1 1/4"

PLAIN




5 3/4

17 1/2

12 3/4 18 3/4
36 42


OVER-THE-POST NEWELS - WITH PIN TOP

All dimensions in inches.



POST-TO-POST NEWELS - WITH BALL TOP

All dimensions in inches.




4664 and 4665 are available in PLAIN only.

COLONIAL COLLECTION


CROWN
SYSTEM

3 LENGTH
SYSTEM

HANDRAILS—NOT PLOWED



This collection is most commonly paired with these not-plowed and plowed handrail profile options.



PIN TOP BALUSTERS - 1 1/4"

5015 ⁴ 3-length System	5010 1 1/2" Baluster	5016 ⁴ 1 1/4" Baluster	5891 1 1/4" Baluster	5892 1 1/4" Baluster	5894 1 1/4" Baluster
PLAIN	PLAIN	PLAIN	PLAIN	PLAIN	PLAIN

HANDRAILS—PLOWED



SQUARE TOP BALUSTERS - 1 1/4"

5067 ⁵ 3-length System	5068 ⁵ Crown System*	5141 ⁶ 3-length System	5142 ⁶ Crown System
PLAIN	PLAIN	PLAIN	PLAIN



5142 Balusters & 4040 Newel

Colonial Post-to-Post

⁴5015 and 5016 have matching profiles.
⁵5067 and 5068 have matching profiles.
⁶5141 and 5142 have matching profiles.

OVER-THE-POST NEWELS - WITH PIN TOP

All dimensions in inches.

Use with 4010:
3008
3072
3073
See pages 63, 64

3"

2 1/4"

2 3/4"

PLAIN

27

15

4010 (43") Universal Newel

Pre-Bored for hardware.

PLAIN

27

15

4014 (48") Universal Newel
4015 (58") Intermediate Newel
4018 (72") Winder Newel

VARIES
20" - 4014
30" - 4015
44" - 4018

PLAIN

27

15

4011 (43") Volute or Turnout Newel

Dowel is removable.

PLAIN

27

16

4013 (43") Rake Newel

PLAIN

27

15

4050 (43") Universal Newel Round Bottom

Dowel is removable.

PLAIN

27

15

4060 (43") Universal Newel Round Bottom

Dowel is removable.

POST-TO-POST NEWELS

*Note: Mushroom top newels standard on Colonial Collection.

All dimensions in inches.

3"

2 1/2"

5

23

17 1/2" - 4040 (30" Rake Handrail)
23 1/2" - 4042 (34" to 38" Rake Handrail)
41 1/2" - 4055 (either 30" or 34" Rake Handrail)

4040 (48") Universal Newels
4042 (54") Universal Newels
4055 (72") Universal Newels

Ball Top Newels Available

PLAIN

2 1/2"

VARIES

18

5" - 4041
11" - 4045
14 1/2" - 4046, 4047

22 1/2" - 4041
26 1/2" - 4045
37" - 4046
19" - 4047

(Either 30" or 34" Rake Handrail)

4041 (48") Second-floor Landing Newel
4045 (58") Universal Newels
4046 (72") Intermediate Newels
4047 (54") Intermediate Newels

Available in primed finish 4040, 4042 and 4045 with mushroom and ball tops.

3"

2 1/2"

5

23

17 1/2" - 4180 (30" Rake Handrail)
25 1/2" - 4182 (34" to 38" Rake Handrail)
41 1/2" - 4195 (Either 30" or 34" Rake Handrail)

4180 (48") Universal Newel
4182 (56") Intermediate Newel
4195 (72") Winder Newel

Ball Top Newels Available

PLAIN

2 1/2"

VARIES

18

5" - 4181
11" - 4185
14 1/2" - 4186

22 1/2" - 4181
24 1/2" - 4185
21 7/8" - 4186

(Either 30" or 34" Rake Handrail)

4181 (48") Universal Newel
4185 (56") Second-floor Landing Newel
4186 (58") Intermediate Newel

Ball Top Newels Available

CRAFTSMAN COLLECTION

HANDRAILS—NOT PLOWED



6002



6602



6840

HANDRAILS—PLOWED



6000P
1 1/4"




6001P
1 3/4"


This collection is most commonly paired with these not-plowed and plowed handrail profile options.

BALUSTERS


5060
1 1/4" Baluster




5360
1 3/4" Baluster




5061—Eased Edge
1 1/4" Baluster



5361—Eased Edge
1 3/4" Baluster




5070
1 1/4" Baluster




5370
1 3/4" Baluster



5380
1 3/4" Baluster



Detail of eased edge
baluster bottom




Pictured here with 5360 balusters, 4091 newel & 6210 handrail.

PLAIN NEWELS


PINTOP NEWELS

3" Newels




4300 (43") Universal
4301 (48") Intermediate
4302 (58") Intermediate

3½" Newels




4000 (48") Universal
4001 (56") Intermediate

4" Newels




4002 (48") Universal
4003 (56") Intermediate

3½" Newels




4113 (48") Universal
4114 (56") Intermediate
(Both newels are square tapered)



4115 (48") Universal
4116 (56") Intermediate


PROFILED NEWELS

3" Newels




4086 (43")
4087 (59.5")
4088 (67")

3½" Newels



4100 (48") Universal
4101 (56") Intermediate



4102 (48") Universal
4103 (56") Intermediate




4086 Newel

CRAFTSMAN WORKSHOP



CUSTOM STAIRPARTS

Alder




American Cherry




Beech



Black Walnut




Brazilian Cherry



Hemlock



Hickory



Mahogany






TURNINGS

Whether it is a historical part or your own unique design, Crown Heritage can manufacture newels and balusters to your specifications with our Locatelli Copy Lathe.



BOX NEWELS

Small or large, short or tall - it's your design! Custom caps, panels or flutes.



CURVED BALCONY RAIL AND LANDING TREAD

Provide us a detailed template or drawings showing your desired radius.



FITTINGS


Custom volute or turnout sizes and custom angles on goosenecks or turns.



TREADS AND STEPS

Double or single return treads, curved, radius end, and pie treads. Custom double or single end steps, custom radius or stacked steps.


Maple



New Heart Pine



Poplar



Red Oak




White Oak



Yellow Birch



Yellow Pine



CONCEPT GALLERY

Get inspired by one of these unique designs! Choose one of these custom designs or create your own. Custom design may require a short lead time.

CRAFTSMAN STYLE



1



2



3



4



5



6

TURNED NEWELS



7



8






11



12

BALUSTERS




FITTINGS

FITTINGS & COMPONENTS


CAPS & EASINGS



VOLUTES & TURNOUTS



GOOSENECKS



FITTINGS

All dimensions in inches.



7014/7114
7214/7314
7514
90° Up Easing



7015
7215/7315
7515
Starting Easing
Returned End




7016
7216/7316
7516
Over Easing
Returned End



7019/7119
7219/7319
7519
Opening Cap



7020/7120
7220/7320
7520
Tandem Cap



7021/7121
7221/7321
7521
90° Level
Quarter Turn Cap



702135
712135
722135
732135
135° Level Cap




7022
Straight Coped End

HOW TO MATCH FITTINGS AND RAIL STYLES


7000 Series Fittings




7300 Series Fittings




7100 Series Fittings



7500 Series Fittings



7200 Series Fittings



7045/7145
7245/7345
7545
Right-hand Turnout



7041/7141
7241/7341
7541
Left-hand Turnout



7046/7146
7246/7346
7546
Right-hand Turnout



7032
Vertical Volute



7089
7189
7289
7389
7589
2 pc. Riser
With Cap



70902
71902
72902
73902
75902
Left-hand
2 pc. Riser
5 1/2" Offset
To Center of Rail




70952
71952
72952
73952
75952
Right-hand
2 pc. Riser
5 1/2" Offset
To Center of Rail




70912
72912
73912
75912
Left-hand
2 pc. Riser
With Cap
5 1/2" Offset
To Center of Rail



70922
72922
73922
75922
Right-hand
2 pc. Riser
With Cap
5 1/2" Offset
To Center of Rail




7097
7197
7297
7397
7597
2 pc. Riser
With Cap



7099
7199
7299
7399
7599
2 pc. Riser
No Cap


HANDRAILS

All dimensions in inches.



* Hemlock profiles will differ and include 1-5/8 inch plow.

SHOERAILS & FILLETS




Note: Hemlock shoerail profiles will differ. Item #6106 (1-1/4 inch plow)
Item #6206 (1-5/8 inch plow)



WALL RAIL & FITTINGS

6040



7023
Quarter Turn




7024
Starting Easing



7025
Over Easing



6042



7005
Quarter Turn



7006
Starting Easing



7007
Over Easing



WALL RAIL BRACKETS



3028
Satin Black



3028
Silver Vein



3028
Rubbed Copper



3028
Satin Nickel



3028
Oil Rubbed
Bronze



3027
Brass



3027
Bronze



3027
Black



3027
Nickel



3002
Brass Wall
Rail Bracket

ROSETTES



7026
Round Rosette
4 3/4" Diameter



7027
Oval Rosette
4 7/16" x 6 1/2"



7027SQ
Square Corner Rosette
4 7/16" x 6 1/2"



7037
Oval Rosette
4" x 5 1/2"



7201
Recessed
Round Rosette
4" Diameter



7202
Recessed
Oval Rosette
4 9/16" x 5 3/4"

HEMLOCK ROSETTES



TREADS



8070
Plain Tread
1 1/32" x 11 1/2"

8170
Plain Tread
1 1/32" x 10 1/2"


MDF
1 1/8" x 11 1/4"



Mitered Return
Tread Reversible

8070MR
Plain Tread
1 1/32" x 11 1/2"

8170MR
Plain Tread
1 1/32" x 10 1/2"



8070DMR
Double Mitered Returned Treads:
Overall width of tread does not include
mitered returns.

SQUARE EASED EDGE TREADS



8070SQ
Plain Tread
1 1/32" x 11 1/2"



8070SQMR
Mitered Return
Tread Reversible
1 1/32" x 11 1/2"


SPECIALTY TREADS



8080RTD15
Return Nosing
(Sold Separately)

8070RTD
Retro Tread

8070HMR
Hybrid Tread
1 1/32" x 11 1/2"
Available in 48"
and 60" lengths.



8370
Thick Tread
3" x 11 1/2"



TREAD BLANKS



Nosed One Edge
8070-20
1 1/32" x 20" Deep
48" and 60" Widths

Nosed Two Edge
8070W34
1 1/32" x 34" Deep
48", 54" and 60" Widths

8070W24
1 1/32" x 24" Deep
60" and 72" Widths

8070W20
1 1/32" x 20" Deep
84" Width



Square Edge
8070W26
1 1/32" x 26"
48", 60" and 84" Widths

8070-48
1 1/32" x 48" x 48"

RISERS



8075
Riser
3/4" x 7 1/2"



8075 MDF
Riser
3/4" x 8"

Oak Lineal Riser—Solid Oak edge-glued, fingerjointed panel

LANDING TREAD



Landing Tread
8090
3/4" x 3 1/4"
8091
3/4" x 5 1/4"
8097
3/4" x 7 1/4"



8091SQ
Landing Tread
3/4" x 5 1/4"



8091-38
Landing Tread
3/8" x 5 1/4"



8091B16
Bending Landing Tread
3/4" x 5 1/4" x 16'

Model	Description	Size	Red Oak	Brazilian Cherry	Cherry	Hickory	Maple	MDF	Poplar	White Oak	Yellow Pine
8070	Plain	1-1-32" x 11-1/2"									
		36"	X				X				
		42"	X	X		X	X	X	X	X	
		48"	X	X	X	X	X	X	X	X	X
		54"	X	X						X	
		60"	X		X	X	X	X	X	X	X
		72"	X				X			X	
		96"	X				X			X	
		144"	X								
		192"	X								
8070DMR	Double Return	1-1-32" x 11-1/2"									
		48"	X								
		54"	X								
8070MR	Single Return	1-1-32" x 11-1/2"									
		42"	X			X	X			X	
		48"	X	X	X	X	X			X	X
		54"	X	X						X	
		60"	X		X	X	X			X	X
		72"	X								
8070SQ	Square Edge Tread										
		48"	X							X	
		60"	X							X	
8070SQMR	Sq. Edge Tread Mitered Return										
		48"	X							X	
		60"	X							X	
8075	Riser	3/4" x 7-1/2"									
		36"	X				X				
		42"	X			X	X	X	X	X	
		48"	X		X	X	X	X	X	X	
		54"	X								
		60"	X		X	X	X	X	X	X	
		72"	X								
		96"	X								
		144"	X								
		192"	X								
Skirtboard											
		12'	X				X			X	X
		16'	X				X			X	X
8070	Solid Pine C & BTR Stepping 1" x 11-1/4"										
		36"									X
		42"									X
		48"									X
		144"									X
		192"									X

STARTING STEPS

All dimensions in inches.

Starting steps are shipped with cove and shoe moulding. Single Bullnose Starting Steps are reversible and can be cut for shorter lengths.

Tread Thickness / Riser Codes


80XX = 1-1/32" Stain grade Tread / 7" Stain grade Riser

88XX = 1-1/32" Stain grade Tread / 8" Paint grade Riser

89XX = 13/16" Stain grade Tread / 8" Paint grade Riser

Use With Volute and Turnouts


8210 and 8215 should be used only with an Over-the-Post system. Any volute or turnout may be used.




8215
Bow Front



8215




8210
Bow Front





8210

Use 8010 and 8015 with 6010, 6100 and 6210 turnouts or volutes.




8010 / 8810 / 8910




8015 / 8815 / 8915




Variable Starting Step:
Allows 2 1/2" to be trimmed off each end to achieve 49" - 54" opening.





8017 / 8817 / 8917





Use With Box Newels—Use 8030, 8050 and 8030SQ with Box Newels.



8030 / 8830 / 8930



8050 / 8850 / 8950









8030SQ




Use With Square Top & Box Newels and 90° Starting Fittings



Use 8040 and 8060 when placing any Post-to-Post starting newel at second riser. Use 8440, 8460, 8640 and 8660 when the starting fitting utilizes a 90° up easing. Use 8440 and 8460 with 6010 and 6210 or 6100 volutes. Use 8640 and 8660 with 6210, 6310 and 6519 turnouts or volutes.



Use 8310 and 8315 with 6210, 6310 and 6519 turnouts or standard volutes and all climbing volutes.



8310



8315



ACCESSORIES


FALSE TREAD KITS

All dimensions in inches.


8079

Open False Tread Kit

For open tread right-hand or left-hand applications.
Also can be used in closed tread applications.



8076
Riser




Open Treads

Tread kits include 8076 Risers which also can be purchased separately.




8076
Riser

8172 Closed Tread Kit




Closed Treads

8179SQ Square Edge False Tread Cap




12 1/2



8071

Right-hand and Left-hand False Tread Cap Only
Note: Picture shown is a left-hand

8011 6 1/4" Radius False Step



Note: Product is reversible



8012
Radius Cove
and Shoe Set.
Comes with 8011.

NOSING, MOULDINGS & BRACKETS



8085
Shoe Moulding
1 1/2" x 3/4"




8095
Cove Moulding
5/8" x 13/16"




8080
1 1/16" x 1 1/4"
Tread Nosing
13" piece or
lineal available.



8066
1 3/4" x 1 1/16"
Tread Nosing
with Cove



7028
Plain Bracket



7029
Scroll Bracket

SKIRTBOARDS




8073
Primed MDF
Profiled
Skirtboard
3/4" x 11 1/4" x 16'



40012
Skirtboard
3/4" x 11 1/4" x 12'

40016
Skirtboard
3/4" x 11 1/4" x 16'

Oak Skirtboard—Oak Veneer on one face,
solid Oak edge-glued, fingerjointed panel substrate
Maple Skirtboard—Maple Veneer on one face,
solid Maple edge-glued, fingerjointed panel substrate
Poplar Skirtboard—Solid Poplar edge-glued, fingerjointed panel
White Oak—Solid White Oak edge-glued, fingerjointed panel




2027
Dowel Pin



3001
Rail Bolt
Oak and Poplar
Plugs Included


3032
Rail Bolt Driver
Drill attachment for driving
rail bolts into newels, fittings,
walls and handrails.




3004
Newel Mounting Kit



3005
Keylock Fasteners



3006
Newel Mounting Plate
(For 3" to 3 1/2" Newels)



3009 - 3"
3019 - 3 1/2"
Post Anchor
*Hemlock 3 1/4"



3000-6
1" Wood Plugs
6-Pack




3024
1/2" Tapered Plugs
25/Pack
For Flush Mount
Installations




3026
1/2" Button Plugs
50/Pack



4099
Newel Drop
2 3/4" x 1 3/4"




3008
SureTite™
Newel Post Fastener
Oak and Poplar
Plugs Included




3070
Newel Post
Fastener




3072
Starting Newel
Attachment Kit*



3073
Newel Post
Fastening Kit




3075
Flush Mount Kit
For flush mounting
handrails to newels.




3076-20/3076-50
Dowel Screws
Fully-threaded dowel screws for
attaching balusters to treads.
Available in packs of 20 or 50.

3088
Dowel Driver
Drives the 3076 dowel screw.



3078
Rail/Post Fastener
Fastens newels to risers
and handrails to newels.
(1 bolt per package)



3092
Rail Bolt Wrench
A versatile tool: Locates holes
and pilot holes on handrails
and rail drops, starts and
tightens hex nut on rail bolt,
tightens 1/2" hex nuts, drives
5/16" rail bolts.



*Pictured here with
8071 False Tread Cap.*

STAIR PART TERMS

ILLUSTRATED AND DEFINED



1. Universal Newel (5" Top Block)

Choose this newel for a starting newel or first floor newel. Choose a 48" when your rake is less than 33" and 54" or 56" when your rake height is 34" or larger. This newel can also be used on a balcony when 5" block is desired.

2. Universal Pin Top Newel w/ Starting Easing (xx10)

Typically, a 48" newel is used in this scenario.

3. Crown System Wood Baluster

When using two balusters per tread, use 35" and 39". When using three balusters per tread, use 35", 37-1/2" and 44" (42" for 1-1/4"). These balusters are designed to be cut from the top when installed.

4. Three Length Wood Baluster

For 34" or 35" rake heights: use a 34" and 38" baluster when using two balusters per tread. When using three balusters per tread, use 34", 38" and 42". For 35" to 38" rake heights: use a 38" and 42" baluster when using two balusters per tread. When using three balusters per tread, use 38" and two 42".

5. Second Floor Landing Newel (11" Top Block)

Second floor or balcony where fittings will not be used.

6. Intermediate Landing Newel (14-1/2" Top Block)

Use at landings where the stair continues up another flight of stairs and fittings are not being used.

7. Rosette

Used when the rail terminates into a wall. Available in various design including oval, round and square edge.

8. Universal Newel (5" Top Block) with Gooseneck (xx99)

Typically, a 54" or 56" newel is used in this scenario.

9. Half Newel

Can be used instead of rosettes when the rail terminates into the wall.

10. Iron Balusters

Available in hollow or solid. Profiles may vary and are available in 44". Select profiles available in 36" for balconies.

11. Box Newels

An alternative to traditional turned post.

12. Box Newel with gooseneck (xx99)

Box newels can be used on landings. A fitting allows the railing to hit above the trim.

13. Single Return Tread

Use when one side of the stair is open. Tread is reversible.

14. Double Return Tread

Use when both sides of the stair is open.



15. Riser

The vertical component of a stair that supports the tread.

16. Double End Starting Step

Also available in single end.

17. Volute Newel with Volute (Pictured: xx30)

Volute newels include a dowel for installation. Most installations require 42" balusters under a volute.

18. Universal Pin Top Newel with Turnout (Pictured: XX45)

A 43" newel can be used on a starting step under a volute or turnout.

19. Intermediate Pin Top Newel with Quarter Turn Gooseneck Cap and Easing (Pictured: xx65)

Fitting allows the railing to continue up another flight of stairs.

20. Intermediate Pin Top Newel with Tandem Cap Gooseneck (xx89)


Fitting allows the railing to continue straight at the landing.

21. Tandem Cap (xx20)

Fittings allows the railing to continue straight over a post.

22. Quarter Turn with Cap (xx21)

Fitting allows the railing to turn 90 degrees over a post.



23. Cable

A modern balustrade option.


24. "S" Turn Fitting (Pictured: xx11SRH)

Fitting allows the railing to turn around a wall.

25. Kneewall

A framed wall that covers the treads and risers. Balusters or cable can be installed on a kneewall. Balusters will be shorter than standard stair installations. Select iron profiles available in 30" specifically for kneewall installations.

DESIGN YOUR OWN STAIR ONLINE



The following information will help you begin installation of an Over-the-Post Stair System, which is only for interior use. This list will allow the flexibility to comply with most building codes related to baluster spacing and handrail height. Always consult your local building codes before starting installation.

1. **Starting Step:** To be used with volute and turnout fittings. Length is determined from outside finished wall to outside finished wall. (see page 77)
2. **Treads:** Excluding the starting step, choose one tread for each step. Open-sided stairs require mitered return treads. Treads are available mitered on one side or both sides. For open-on-one-side stairs, add $1\frac{1}{8}$ " to the measured length between the finished walls and order the next longest standard length of tread. (see page 75)
3. **Risers:** The required number of risers will be one more than the number of treads chosen in No. 2. Do not choose a riser for the starting step. (see page 76)
4. **Skirtboards:** Skirtboards are used on both sides of the stairs, regardless of whether they are open or enclosed. Allow 13" per tread and round up to either 12' or 16' length. (Note, Crown Heritage Skirtboards are only available in 12' and 16' lengths) (see page 78)
5. **Landing Tread:** Choose enough landing tread for all landings and balconies. $5\frac{1}{4}$ " landing tread is used with $3\frac{1}{2}$ " newels. $3\frac{3}{4}$ " landing tread may be used with 3" newels. (page 76)
6. **Cove Moulding:** Choose enough footage to go under all landing tread and tread nosing, including tread returns. (page 78)
7. **Starting Fitting:** Choose from volute, turnout or starting easing. (pages 71-72)
8. **Starting Newel:** Choose either a volute newel or the shortest universal newel for the first floor. (pages 53-66)
9. **Intermediate Newel:** Choose the 56" intermediate landing newel for two-rise applications where the newel will drape two rises. Choose the 72" newel if more than two rises are being draped. If the intermediate newel will not be draped, but is face mounted, the 48" newel may be used. (pages 53-66)
10. **Balcony Newel:** Choose the shortest universal newel for flush mount installations or the 48" length when the newel will be draped or mounted below the floor surface. (pages 53-66)
11. **Level Run:** A universal newel should be used at least every eight feet of balcony run. At the corner of the balcony, use a quarter-turn cap over each newel. The 43" universal newel may be used for flush mounts. The 48" universal newel should be used if a draped installation is desired. (pages 53-66)
12. **Half Newel or Rosette:** For the best installation, choose a half newel, which matches the other newels on the job. Alternately, choose a round rosette for all level rail connections and an oval rosette for all angle rail connections. (page 74)
13. **Hardware:** For a sturdy installation, choose the patented Newel Mounting Kit #3072. Choose the appropriate newel mounting hardware for each newel post. (page 79)
14. **Balusters for Volumes and Turnouts:** Four or six $1\frac{1}{4}$ " balusters and four or five $1\frac{3}{4}$ " balusters are required under the volute. Turnouts require two $1\frac{1}{4}$ " and one $1\frac{3}{4}$ " balusters. For 30" rake heights use 38" or $37\frac{1}{2}$ " balusters under the volute and use a 42" or 44" baluster under turnouts. For 34" rake heights, use a 42" baluster under volumes and turnouts. When using $1\frac{1}{4}$ " balusters, choose the 42" baluster. When using $1\frac{3}{4}$ " balusters, choose the 44" baluster.
Warning: Rake heights over 35" may result in the balusters not being long enough. (pages 53-66)
15. **Balusters for Starting Easing With Cap:** Use one 38" or 39" baluster under a starting easing if your rake height is 30". Use a 42" baluster if your rake rail height is 34". (pages 53-66)
16. **Rake Balusters for 34" Rake Heights (3-length System):** When using two balusters per tread, use the 34" baluster as the first baluster and the 38" baluster as the second baluster. When using three balusters on a tread, use the 34" baluster as the first baluster, a 38" second baluster and a 42" third baluster on the tread. The 38" and 42" balusters will require the bottom of the baluster to be trimmed. (page 53-66)
17. **Rake Balusters for 34" Rake Heights (the Crown System):** When using two balusters per tread, use the 35" baluster as the first baluster and the 39" baluster as the second baluster. When using $1\frac{1}{4}$ " balusters, choose the 35", 37" and 42" balusters unless you have chosen the 5016—then use the 36", 39" and 42" balusters. When using $1\frac{3}{4}$ " balusters, choose the 35", 37" and 44" balusters. The Crown System balusters are designed to be trimmed at the top of the balusters. (page 53-66)
18. **Fittings for Landings:** Choose the correct fitting for each newel. Half newels require an opening cap, which will be cut on the job. (pages 71-72)
19. **Handrail:** Choose the appropriate lineal footage of handrail. 13" per step is the average length needed. Our handrail comes factory shrink-wrapped to ensure the product stays clean and remains undamaged. (page 73)
20. **Shoerail:** If shoerail is desired, then choose the appropriate lineal footage. 13" per step is the average length needed. Our shoerail comes factory shrink-wrapped to ensure the product stays clean and remains undamaged. (page 73)
21. **Fillet:** Fillet is shipped **tacked into** all plowed handrails and shoerails. (page 73)
22. **Wood Plug:** A 1" wood plug is needed for each hole bored in the newel. (page 79)
23. **Dowel Screw:** Where the screw method of installation is being used, choose one dowel screw for each baluster except for those balusters being used in a shoerail. This is a recommended, but optional, method of installation. (page 79)
24. **Bracket:** If desired, choose one bracket for each tread. (page 78)

POST-TO-POST TAKE-OFF GUIDE

The following information will help you begin installation of a Post-to-Post Stair System, which is only for interior use. This list will allow the flexibility to comply with most building codes related to baluster spacing and handrail height. Always consult your local building codes before starting installation.

1. **Treads:** Excluding the starting step, choose one tread for each step. Open-sided stairs require mitered return treads. Treads are available mitered on one side or both sides. For open-on-one-side stairs, add $1\frac{1}{8}$ " to the measured length between the finished walls and order the next longest standard length of tread. (pages 75)
2. **Risers:** The required number of risers will be one more than the number of treads chosen in No. 2. Do not choose a riser for the starting step. (page 76)
3. **Skirtboards:** Skirtboards are used on both sides of the stairs, regardless of whether they are open or enclosed. Allow 13" per tread and round up to either 12' or 16' length. (Note, Crown Heritage skirtboards are only available in 12' and 16' lengths). (page 78)
4. **Landing Tread:** Choose enough landing tread for all landings and balconies. $5\frac{1}{4}$ " landing tread is used with $3\frac{1}{2}$ " newels. $3\frac{1}{4}$ " landing tread may be used with 3" newels. (page 76)
5. **Cove Moulding:** Choose enough footage to go under all landing tread and tread nosing, including tread returns. (page 78)
6. **Starting Newel:** Choose the 48" universal newel, if available, for 30" rake rail heights and the 54" or 56" lengths for 34" rake rail heights. (pages 53-66)
7. **Intermediate Newel:** Choose the appropriate intermediate landing newel with a $14\frac{1}{2}$ " top block when not using a fitting and a 5" top block. (pages 53-66)
8. **Second-floor Newel:** Choose the appropriate second-floor landing newel with an 11" top block if fittings are not being used. If fittings are being used, choose a 5" top block universal newel. (pages 53-66)
9. **Balcony Newel:** Choose the shortest universal newel for flush mount installations or the 48" length when the newel will be draped or mounted below the floor surface. (pages 53-66)
10. **Half Newel or Rosette:** For the best installation, choose a half newel, which matches the other newels on the job. Alternately, choose a round rosette for all level rail connections and an oval rosette for all angle rail connections. (page 74)
11. **Hardware:** Choose the appropriate newel mounting hardware for each newel post. (page 79)
12. **Rake Balusters for 34" Rake Heights (3-length System):** When using two balusters per tread, use the 34" baluster as the first baluster and the 38" baluster as the second baluster. When using three balusters on a tread, use the 34" baluster as the first baluster, a 38" second baluster and a 42" third baluster on the tread. The 38" and 42" balusters will require the bottom of the baluster to be trimmed. (page 53-66)
13. **Rake Balusters for 34" Rake Heights (the Crown System):** When using two balusters per tread, use the 35" baluster as the first baluster and the 39" baluster as the second baluster. When using $1\frac{1}{4}$ " balusters, choose the 35", 37", and 42" balusters unless you have chosen the 5016—then use the 36", 39" and 42" balusters. When using $1\frac{3}{4}$ " balusters, choose the 35", 37" and 44" balusters. The Crown System balusters are designed to be trimmed at the top of the balusters. (page 53-66)
14. **Handrail:** Choose the appropriate lineal footage of handrail. 13" per step is the average length needed. Our handrail comes factory shrink-wrapped to ensure the product stays clean and remains undamaged. (page 73)
15. **Shoerail:** If shoerail is desired, then choose the appropriate lineal footage. 13" per step is the average length needed. Our shoerail comes factory shrink-wrapped to ensure the product stays clean and remains undamaged. (page 73)
16. **Fillet:** Fillet is shipped **tacked into** all plowed handrails and shoerails. (page 73)
17. **Wood Plug:** A 1" wood plug is needed for each hole bored in the newel. (page 79)
18. **Dowel Screw:** Where the screw method of installation is being used, choose one dowel screw for each baluster, except for those balusters being used in a shoerail. This is a recommended, but optional, method of installation. (page 79)
19. **Bracket:** If desired, choose one bracket for each tread. (page 78)
20. **Handrail Hardware:** Choose a #3078 Rail and Post Fastener or a #3075 Flush Mount Kit for each newel. (page 74)



Downloading our CAD drawings is easy.

Please note: Crown Heritage is committed to lead the industry with style. To support this commitment, product line improvements, changes and additions are a regular occurrence. Before making your final purchasing decision, please consult your Crown Heritage sales person or contact a customer service representative at 1-800-745-5931 for up to date information on species, colors and availability.

Iron Balusters & Newels

pg.	Model	Description	Size	Ash Gray	Satin Nickel	Rubbed Bronze	Rubbed Copper	Satin Black	Silver Vein
11	1000	Hammered Plain Baluster	14 x 44				X	X	
11	1001	Hammered 1 Basket Baluster	14 x 44				X	X	
11	1002	Hammered 2 Basket Baluster	14 x 44				X	X	
11	1050	Hammered Belly Baluster	14 x 41					X	
17	1060	Hammered Plain Baluster	14 x 44				X	X	
17	1061	Hammered 1 Knuckle Baluster	14 x 44				X	X	
17	1062	Hammered 2 Knuckle Baluster	14 x 44				X	X	
17	1068	Ham'd Plain w/Scroll Baluster	14 x 44					X	
18	1070	Hammered Round Bar Baluster	12 x 44					X	
18	1071	Ham'd Round 1 Knuckle Baluste	12 x 44					X	
18	1072	Ham'd Round 2 Knuckle Baluste	12 x 44					X	
18	1074	Large Ham'd Round Bar Baluste	16 x 44				X	X	
11	1090	Hammered Plain Newel	30 x 48				X	X	
11	1091	Hammered 1 Basket Newel	30 x 48				X	X	
6	1101	1 Twist Baluster	12 x 44				X	X	X
6	1102	2 Twist Baluster	12 x 44				X	X	X
6	1103	22" Twist Baluster	12 x 44				X	X	
6	1113	2 Twist Bal with Fancy Scroll	12 x 44					X	
6	1121	Twist 1 Basket Baluster	12 x 44				X	X	X
6	1122	Twist 2 Basket Baluster	12 x 44				X	X	X
6	1190	Twist Newel	30 x 48				X	X	
6	1191	Twist 1 Basket Newel	30 x 48				X	X	
16	1201	Feather Baluster	14 x 44					X	
16	1202	Split Feather Baluster	14 x 44					X	
16	1212	Feather with Circle Scroll Bal	14 x 44					X	
13	1301	1 Ribbon Baluster	12 x 44					X	
13	1302	2 Ribbon Baluster	12 x 44					X	
14	1391	1 Ribbon Newel	30 x 48					X	
15	1501	Ham'd Spoon 1 Knuckle Baluste	14 x 44				X		
15	1502	Ham'd Spoon 2 Knuckle Baluste	14 x 44				X		
15	1531	Ham'd Spoon w/ Basket Baluste	14 x 44					X	
9	1700	Plain Square Bar Baluster	12 x 44				X	X	X
9	1701	Plain Square Bar 1 Knuckle Bal	12 x 44				X	X	
9	1702	Plain Square Bar 2 Knuckle Bal	12 x 44				X	X	
9	1707	Plain Squiggle Baluster	14 x 44					X	
10	1708	Plain Baluster w/ Large Scroll	12 x 44				X	X	
10	1750	Plain Belly Baluster	12 x 41					X	
8	2101	Hollow 1 Twist Baluster	19 x 44				X	X	
8	2102	Hollow 2 Twist Baluster	19 x 44				X	X	
8	2121	Hollow Twist 1 Basket Baluster	19 x 44				X	X	
8	2122	Hollow Twist 2 Basket Baluster	19 x 44				X	X	
8	2700	Plain Square Bar Baluster	19 x 44				X	X	
8	2701	1 Knuckle Baluster	19 x 44				X	X	
8	2702	2 Knuckle Baluster	19 x 44				X	X	
8	2708	Hollow Balustr w/ Large Scroll	19 x 44				X	X	
15	3060	Hollow Hammr'd Plain Baluster	14 x 44				X	X	X
6	3101	1 Twist Baluster	12 x 36					X	
7	3101	1 Twist Baluster	12 x 30					X	
6	3101	1 Twist Baluster	12 x 44	X	X	X	X	X	X
6	3102	2 Twist Baluster	12 x 36					X	
7	3102	2 Twist Baluster	12 x 30					X	
6	3102	2 Twist Baluster	12 x 44	X	X	X	X	X	X
6	3121	Twist 1 Basket Baluster	12 x 36					X	
7	3121	Twist 1 Basket Baluster	12 x 30					X	
6	3121	Twist 1 Basket Baluster	12 x 44	X	X	X	X	X	X
6	3122	Twist 2 Basket Baluster	12 x 36					X	
7	3122	Twist 2 Basket Baluster	12 x 30					X	
6	3122	Twist 2 Basket Baluster	12 x 44	X	X	X	X	X	X
16	3201	Hollow Feather Baluster	14 x 44				X	X	X
16	3202	Hollow Split Feather Baluster	14 x 44				X	X	X
16	3212	Feather w/Circle Scroll Balust	14 x 44				X	X	X
13	3301	Hollow 1 Ribbon Baluster	12 x 44					X	
13	3302	Hollow 2 Ribbon Baluster	12 x 44					X	
13	3321	1 Basket 2 Riibbons Baluster	12 x 44					X	
13	3322	1 Ribbon 2 Baskets Baluster	12 x 44					X	
13	3331	Hollow Ribbn/2 Scrolls Balustr	12 x 44					X	
14	3332	Hollow Ribbn/2 Scrolls Balustr	12 x 44					X	
19	3401	1 Ring Baluster	12 x 44				X	X	
19	3402	Double Ring Baluster	12 x 44				X	X	
19	3403	1 Ring Panel Baluster	12 x 44				X	X	
9	3404	Double Bar Baluster	12 x 44				X	X	
19	3406	1 Diamond Baluster	12 x 44				X	X	

Iron Balusters & Newels

pg.	Model	Description	Size	Ash Gray	Satin Nickel	Rubbed Bronze	Rubbed Copper	Satin Black	Silver Vein
20	3408	Oval Baluster	12 x 44					X	
20	3409	Rectangle Baluster	12 x 44					X	
15	3501	Hollow Spoon 1 Knuckle Balustr	14 x 44		X	X	X	X	
15	3502	Hollow Spoon 2 Knuckle Balustr	14 x 44		X	X	X	X	
15	3531	Hollow Spoon w/ Basket Balustr	14 x 44			X	X	X	
9	3700	Plain Square Bar Baluster	12 x 36					X	
9	3700	Plain Square Bar Baluster	12 x 44	X	X	X	X	X	
9	3701	Plain Baluster w/ 1 Knuckle	12 x 44	X	X	X	X	X	
9	3702	Plain Baluster w/ 2 Knuckles	12 x 44	X	X	X	X	X	
7	3708	Plain Baluster w/ Large Scroll	12 x 30				X	X	
10	3708	Plain Baluster w/ Large Scroll	12 x 44			X	X	X	
9	4700	Plain Square Bar Baluster	14 x 44				X	X	

Rails and Fillets

pg.	Model	Description	Beech	Hemlock	Hickory	Mahogany	Maple	Poplar	Red Oak	White Oak	Yellow Pine
73	6000P	Handrail Plwd w//fillet 1-1/4"					X		X	X	
73	6001P	Handrail Plwd w//fillet 1-3/4"					X		X	X	
73	6002	Handrail 1-5/8 x 2-13/16"					X		X	X	
73	6005STP	Handrail Plowed Solid Top		X					X		
73	6006	Shoerail Plwd w/fillet 1-3/4"	X				X	X	X		
73	6008	Shoerail Plwd w/fillet 1-1/4"							X		
73	6009	Shoerail Plwd w/fillet 1-3/4"							X		
73	6010	Handrail FJ 2-1/4 x 2-3/8"	X						X	X	X
73	6010B	Handrail Bending w/ Mould 7 pc							X		
73	6010P	Handrail FJ Plowed	X						X	X	X
73	6010SC	Handrail Solid Cap	X				X	X	X	X	
73	6010SCP	Handrail Plowed Solid Cap					X		X		
73	6010ST	Handrail Solid Top		X	X				X		
73	6010STP	Handrail Plowed Solid Top		X					X		
73	6011B	Handrail Bending w/ Mould 9 pc							X		
74	6040	Wallrail 1-3/4 x 1-5/8"	X						X	X	X
74	6042	Wallrail 2-1/4 x 1-9/32"	X	X			X		X		
73	6100S	Handrail Solid							X		
73	6106	Shoerail Plwd w/fillet 1-1/4"		X							
73	6203	Handrail 1-5/8 x 5-1/2"							X		
73	6206	Shoerail Plwd w/fillet 1-5/8"		X							
73	6210	Handrail FJ 2-5/8 x 2-3/8"							X	X	X
73	6210B	Handrail Bending w/Bendg Mou					X		X		
73	6210P	Handrail FJ Plwd w/fill 1-3/4"							X	X	X
73	6210SC	Handrail Solid Cap		X			X	X	X	X	
73	6210SCP	Handrail Plw Solid Cap w/fill		X			X		X		
73	6210ST	Handrail Solid Top			X					X	
73	6210STP	Handrail Plowed Solid Top							X		
73	6245	Shoerail Plwd w/fillet 1-3/4"							X		
73	6310	Handrail 2-5/8 x 2-1/4"							X		
73	6310B	Handrail Bending w/Bendg Mou							X		
73	6310S	Handrail Solid					X		X		
73	6310SP	Handrail Plowed Solid					X		X		
73	6310ST	Handrail Solid Top					X			X	
73	6310STP	Handrail Plowed Solid Top					X			X	
73	6519ST	Handrail Solid Top					X		X		
73	6519STP	Handrail Plowed Solid Top		X			X		X		
73	6602	Handrail 1-5/8 x 2-1/4"					X	X	X		
73	6715	Handrail Solid Top							X		
73	6840	Handrail Solid Top							X	X	

S U F F I X E S U S E D

B	Octagonal	LH	Left Hand
B	Ball Top for Newels	MR	Mitered Return
B	Bending for Rail	NCT	No Cap and Trim
B	Base	P	Plowed
BM	Bending Mold	R	Rope
C	Colonial Ball Top	RH	Right Hand
DMR	Double Miter Return	R	Ring Top
D	Reed	S	Spade Top for Newels, 3 Layer Solid for Handrail
F	Flute	SC	Solid Cap Engineered for Rail
H	Half	ST	Solid Top Rail
LH	Left Hand	T	Twist

* All Hemlock Newels are 3-1/4" square and Hemlock Balusters are either 1-1/4" or 1-5/8" square.

Wood Newels				Beech	Hemlock	Hickory	Maple	Poplar	Primed	Red Oak	White Oak	Yellow Pine
pg.	Model	Description	Size									
74	3010	Univrsl Newel	3.5 x 43				X	X		X		
74	3010B	Univrsl Newel Oct	3.5 x 43							X		
74	3010F	Univrsl Newel Flute	3.5 x 43				X	X		X		
74	3010T	Univrsl Newel Twist	3.5 x 43				X	X		X		
74	3012	Rake Newel	3 x 43				X	X		X		
74	3013	Volute Newel	3.5 x 43				X			X		
74	3013B	Volute Newel Oct	3.5 x 43							X		
74	3013F	Volute Newel Flute	3.5 x 43				X	X		X		
74	3013T	Volute Newel Twist	3.5 x 43				X	X		X		
74	3014	Univrsl Newel	3.5 x 48				X	X		X		
74	3014B	Univrsl Newel Oct	3.5 x 48							X		
74	3014F	Univrsl Newel Flute	3.5 x 48				X	X		X		
74	3014T	Univrsl Newel Twist	3.5 x 48				X	X		X		
74	3015	2nd Floor Lndg Newel	3.5 x 56				X			X		
74	3015B	2nd Floor Lndg Newel Oct	3.5 x 56							X		
74	3015F	2nd Floor Lndg Newel Flute	3.5 x 56					X		X		
74	3015T	2nd Floor Lndg Newel Twist	3.5 x 56					X		X		
74	3018	Winder Newel	3.5 x 72				X	X		X		
74	3018B	Winder Newel Oct	3.5 x 72							X		
74	3018F	Winder Newel Flute	3.5 x 72				X	X		X		
74	3018T	Winder Newel Twist	3.5 x 72				X	X		X		
74	3040	Univrsl Newel	3.5 x 48				X	X		X		
74	3040B	Univrsl Newel Oct	3.5 x 48							X		
74	3040F	Univrsl Newel Flute	3.5 x 48				X	X		X		
74	3040T	Univrsl Newel Twist	3.5 x 48				X	X		X		
74	3042	Univrsl Newel	3.5 x 56				X	X		X		
74	3042B	Univrsl Newel Oct	3.5 x 56							X		
74	3042F	Univrsl Newel Flute	3.5 x 56					X		X		
74	3042T	Univrsl Newel Twist	3.5 x 56					X		X		
74	3045	2nd Floor Lndg Newel	3.5 x 58				X	X		X		
74	3045B	2nd Floor Lndg Newel Oct	3.5 x 58							X		
74	3045F	2nd Floor Lndg Newel Flute	3.5 x 58					X		X		
74	3045T	2nd Floor Lndg Newel Twist	3.5 x 58				X	X		X		
74	3046	Intermediate Newel	3.5 x 72							X		
74	3046B	Intermediate Newel Oct	3.5 x 72							X		
74	3046F	Intermediate Newel Flute	3.5 x 72					X		X		
74	3046T	Intermediate Newel Twist	3.5 x 72					X		X		
74	3047	Intermediate Newel	3.5 x 58				X	X		X		
74	3047B	Intermediate Newel Oct	3.5 x 58							X		
74	3047F	Intermediate Newel Flute	3.5 x 58				X	X		X		
74	3047T	Intermediate Newel Twist	3.5 x 58				X	X		X		
74	3055	Winder Newel	3.5 x 72				X			X		
74	3055B	Winder Newel Oct	3.5 x 72							X		
74	3055F	Winder Newel Flute	3.5 x 72					X		X		
74	3055T	Winder Newel Twist	3.5 x 72					X		X		
54	3209	Rake Newel	3 x 43				X	X		X		
54	3214	Universal Newel	3 x 48				X	X		X		
54	3215	2nd Floor Lndg Newel	3 x 58				X	X		X		
54	3240	Universal Newel	3 x 48				X	X		X		
54	3242	Universal Newel	3 x 54				X	X		X		
54	3245	2nd Floor Lndg Ball Top Newel	3 x 58				X	X		X		
54	3246	Intermediate Newel	3 x 58				X	X		X		
54	3314	Universal Newel	3.5 x 48				X	X		X		
54	3315	2nd Floor Lndg Newel	3.5 x 56				X	X		X		
54	3340	Universal Newel	3.5 x 48				X	X		X		
54	3342	Universal Newel	3.5 x 56				X	X		X		
54	3345	2nd Floor Lndg Ball Top Newel	3.5 x 56				X	X		X		
66	4000	S4S Newel	3.5 x 48		X	X		X	X	X		
66	4001	S4S Newel	3.5 x 56		X			X	X	X		
66	4002	4 X 4 S4S Newel	4 x 48					X		X		
66	4003	4 X 4 S4S Newel	4 x 56					X		X		
62	4004	Hampton Mushrm Top Newel	3.5 x 48		X			X	X	X		
62	4004B	Hampton Ball Top Newel	3.5 x 48		X			X	X	X		
62	4004S	Hampton Spade Top Newel	3.5 x 48		X			X	X	X		
62	4005	Hampton Mushrm Top Newel	3.5 x 56		X	X		X	X	X		
62	4005B	Hampton Ball Top Newel	3.5 x 56		X	X		X	X	X		
62	4005S	Hampton Spade Top Newel	3.5 x 56		X	X		X	X	X		
62	4006	Hampton Mushrm Top Newel	3.5 x 72		X			X		X		
62	4006B	Hampton Ball Top Newel	3.5 x 72		X			X	X	X		
62	4006S	Hampton Spade Top Newel	3.5 x 72		X			X	X	X		
64	4010	Univrsl Newel	3 x 43		X		X	X	X	X		
64	4011	Volute / Turnout	3 x 43		X			X	X	X		
64	4013	Rake Newel	3 x 43		X			X	X	X		
64	4014	Univrsl Lndg Newel	3 x 48		X	X		X	X	X	X	
64	4015	2nd Floor Lndg Newel	3 x 58		X	X		X	X	X		
64	4018	Winder Newel	3 x 72		X					X		
64	4040	Univrsl Mushrm Top Newel	3 x 48		X	X		X	X	X	X	X
64	4040B	Univrsl Ball Top Newel	3 x 48		X	X		X	X	X	X	X

Wood Newels				Beech	Hemlock	Hickory	Maple	Poplar	Primed	Red Oak	White Oak	Yellow Pine
pg.	Model	Description	Size									
64	4041	Knee Wall Mushrm Top Newel	3 x 48				X			X		
64	4041B	Knee Wall Ball Top Newel	3 x 48				X			X		
64	4042	Univrsl Mushrm Top Newel	3 x 54	X	X		X	X	X	X		
64	4042B	Univrsl Ball Top Newel	3 x 54	X	X		X	X	X	X		
64	4045	2nd Floor Lndg Mush Top Newe	3 x 58	X	X		X	X	X	X		
64	4045B	2nd Floor Lndg Ball Top Newel	3 x 58	X	X		X	X	X	X		
64	4046	Intermediate Mushrm Top Newe	3 x 72	X			X	X		X		
64	4046B	Intermediate Ball Top Newel	3 x 72	X			X	X		X		
64	4047	Intermediate Mushrm Top Newe	3 x 54	X			X	X		X		
64	4047B	Intermediate Ball Top Newel	3 x 54	X			X	X		X		
64	4050	Starting Newel	2.25 x 43	X			X	X		X		
64	4055	Winder Mushrm Top Newel	3 x 72	X			X	X		X		
64	4055B	Winder Ball Top Newel	3 x 72	X			X	X		X		
64	4060	Starting Newel	2.75 x 43	X			X	X		X		
73	4076	Box Newel	3.5 x 58	X		X	X	X	X	X	X	X
73	4077	Box Newel 3.5 with Bevel Cap	3.5 x 56				X			X	X	
73	4082	Flute Box Newel	4.25 x 56.5				X			X		
74	4083	Panel Box Newel	4.25 x 56.5							X		
66	4086	Starting Newel	3 x 43.5	X						X		
66	4087	2nd Floor Lndg Newel	3 x 60	X						X		
66	4088	2nd Floor Lndg Newel	3 x 68.5	X						X		
73	4091	Box Newel	6.25 x 55	X		X	X	X	X	X	X	X
74	4092	Flute Box Newel	7.5 x 56				X			X	X	
74	4093	Panel Box Newel	7.5 x 56				X			X	X	
61	4094	Primed Box Newel	4 x 58					X	X			
61	4094F	Primed Box Newel - Flute	4 x 58						X			
63	4094FNCT	Flute Prm Box Newel NoCap&T	4 x 58							X		
63	4094NCT	Primed Box Newel No Cap & Tri	4 x 58						X			
61	4094NS	Primed Box Newel - No Stain	4 x 58						X			
61	4094NSF	Prime Box Newel-No Stain&Flut	4 x 58							X		
61	4095	Primed Box Newel	5 x 58					X	X			
61	4095F	Primed Box Newel - Flute	5 x 58						X			
63	4095FNCT	Flute Prm Box Newel NoCap&T	5 x 58							X		
63	4095NCT	Primed Box Newel No Cap & Tri	5 x 58						X			
61	4095NS	Primed Box Newel - No Stain	5 x 58							X		
61	4095NSF	Prime Box Newel-No Stain&Flut	5 x 58							X		
74	4096	Panel Box Newel	7.5 x 56							X		
74	4097	Recess Panel Box Newel	4.25 x 56.5				X	X		X	X	
74	4098	Recess Panel Box Newel	7.5 x 56.5				X	X		X	X	
66	4100	Newel S4S	3.5 x 48				X			X		
66	4101	Newel S4S	3.5 x 56				X			X		
66	4102	Newel S4S	3.5 x 48				X			X		
66	4103	Newel S4S	3.5 x 56				X			X		
73	4176	Box Newel	5 x 58							X		
73	4177	Box Newel	5 x 58							X		
64	4180	Univrsl Mushrm Top Newel	3 x 48				X	X		X		
64	4180B	Univrsl Ball Top Newel	3 x 48	X			X	X		X		
64	4181	Knee Wall Mushrm Top Newel	3 x 48				X	X		X		
64	4181B	Knee Wall Ball Top Newel	3 x 48	X	X		X	X		X		
64	4182	Univrsl Mushrm Top Newel	3 x 56				X	X		X		
64	4182B	Univrsl Ball Top Newel	3 x 56	X			X	X		X		
64	4185	2nd Floor Lndg Newel	3 x 56				X	X		X		
64	4185B	2nd Floor Lndg Ball Top Newel	3 x 56	X	X		X	X		X		
64	4186	Winder Mushrm Newel	3 x 58				X	X		X		
64	4186B	Winder Ball Top Newel	3 x 58	X			X	X		X		
73	4191	Box Newel	8 x 56				X			X		
64	4195	Winder Mushroom Newel	3 x 72				X	X		X		
64	4195B	Winder Ball Top Newel	3 x 72	X			X	X		X		
62	4212	Rake Newel	3 x 43				X			X		
62	4270	Univrsl Hampton Newel	3.5 x 43				X	X		X		
62	42708	Univrsl Hampton Newel Oct	3.5 x 43							X		
62	4272	Volute Hampton Newel	3.5 x 41				X			X		
62	42728	Volute Hampton Newel Oct	3.5 x 41							X		
62	4274	Univrsl Hampton Newel	3 x 48				X	X		X		
62	4274	Univrsl Hampton Newel	3.5 x 48								X	
62	42748	Univrsl Hampton Newel Oct	3.5 x 48								X	
62	4275	Univrsl Lndg Hampton Newel	3.5 x 56		X		X	X		X		
62	42758	Univrsl Lndg Hampton Newel O	3.5 x 56							X		
62	4278	Univrsl Lndg Hampton Newel	3.5 x 72				X			X		
62	42788	Univrsl Lndg Hampton Newel O	3.5 x 72							X		
66	4300	S4S Newel	3 x 43				X	X		X		
66	4301	S4S Newel	3 x 48	X			X	X		X		
66	4302	S4S Newel	3 x 58				X	X		X		
62	4500	Univrsl Hampton Newel	3.5 x 48	X	X		X	X		X		
62	45008	Univrsl Hampton Newel Oct	3.5 x 48								X	
62	4502	Univrsl Hampton Newel	3.5 x 56		X		X	X		X		
62	45028	Univrsl Hampton Newel Oct	3.5 x 56								X	
62	4503	2nd Floor Lndg Hampton Newel	3.5 x 56	X	X		X	X		X		

Please note: Crown Heritage is committed to lead the industry with style. To support this commitment, product line improvements, changes and additions are a regular occurrence. Before making your final purchasing decision, please consult your Crown Heritage sales person or contact a customer service representative at 1-800-745-5931 for up to date information on species, colors and availability.

Wood Newels					Beech	Hemlock	Hickory	Maple	Poplar	Primed	Red Oak	White Oak	Yellow Pine
pg.	Model	Description	Size										
62	45038	2nd Floor Lndg Hamptn Newl O	3.5 x 56								X		
62	4505	Winder Hampton Newel	3.5 x 72				X				X		
62	45058	Winder Hampton Newel Oct	3.5 x 72								X		
62	4507	2nd Floor Lndg Hamptn Newel	3.5 x 48					X			X		
62	45078	2nd Floor Lndg Hamptn Newl O	3.5 x 48								X		
62	4508	Intermediate Hampton Newel	3.5 x 58	X			X	X			X		
62	45088	Intermediate Hamptn Newel Oct	3.5 x 58								X		
62	4664	Univrsl Hampton Newel	4.5 x 48								X		
62	4665	Univrsl Hampton Newel	4.5 x 56								X		
58	4810	Univrsl Newel	3.5 x 43								X		
58	48108	Univrsl Newel Oct	3.5 x 43								X		
58	4810D	Univrsl Newel Reed	3.5 x 43								X		
58	4812	Rake Newel	3 x 43								X		
58	4813	Volute Newel	3.5 x 48								X		
58	48138	Volute Newel Oct	3.5 x 48								X		
58	4813D	Volute Newel Reed	3.5 x 48								X		
58	4814	Univrsl Newel	3.5 x 48								X		
58	48148	Univrsl Newel Oct	3.5 x 48								X		
58	4814D	Univrsl Newel Reed	3.5 x 48								X		
58	4825	Landing Newel	3.5 x 56								X		
58	48258	Landing Newel Oct	3.5 x 56								X		
58	4825D	Landing Newel Reed	3.5 x 56								X		
58	4842	Univrsl Newel	3.5 x 56								X		
58	48428	Univrsl Newel Oct	3.5 x 56								X		
58	4842D	Univrsl Newel Reed	3.5 x 56								X		
58	4845	2nd Floor Lndg Newel	3.5 x 56								X		
58	48458	2nd Floor Lndg Newel Oct	3.5 x 56								X		
58	4845D	2nd Floor Lndg Newel Reed	3.5 x 56								X		
58	4866	Intermediate Newel	3.5 x 58								X		
58	48668	Intermediate Newel Oct	3.5 x 58								X		
58	4866D	Intermediate Newel Reed	3.5 x 58								X		
56	8510	Univrsl Newel Plain	3.5 x 43								X		
56	85108	Univrsl Newel Oct	3.5 x 43								X		
56	8510F	Univrsl Newel Flute	3.5 x 43								X		
56	8510R	Univrsl Newel Rope	3.5 x 43								X		
56	8512	Rake Newel	3 x 43								X		
56	8513	Volute Newel Plain	3.5 x 43								X		
56	85138	Volute Newel Oct	3.5 x 43								X		
56	8513F	Volute Newel Flute	3.5 x 43								X		
56	8513R	Volute Newel Rope	3.5 x 43								X		
56	8514	Univrsl Newel Plain	3.5 x 48								X		
56	85148	Univrsl Newel Oct	3.5 x 48								X		
56	8514F	Univrsl Newel Flute	3.5 x 48								X		
56	8514R	Univrsl Newel Rope	3.5 x 48								X		
56	8525	Landing Newel Plain	3.5 x 56								X		
56	85258	Landing Newel Oct	3.5 x 56								X		
56	8525F	Landing Newel Flute	3.5 x 56								X		
56	8525R	Landing Newel Rope	3.5 x 56								X		
56	8542	Univrsl Newel Plain	3.5 x 56								X		
56	85428	Univrsl Newel Oct	3.5 x 56								X		
56	8542F	Univrsl Newel Flute	3.5 x 56								X		
56	8542R	Univrsl Newel Rope	3.5 x 56								X		
56	8545	2nd Floor Lndg Newel Plain	3.5 x 56								X		
56	85458	2nd Floor Lndg Newel Oct	3.5 x 56								X		
56	8545F	2nd Floor Lndg Newel Flute	3.5 x 56								X		
56	8545R	2nd Floor Lndg Newel Rope	3.5 x 56								X		
56	8547	Intermediate Newel Plain	3.5 x 58								X		
56	85478	Intermediate Newel Oct	3.5 x 58								X		
56	8547F	Intermediate Newel Flute	3.5 x 58								X		
56	8547R	Intermediate Newel Rope	3.5 x 58								X		
55	9012	W'burg Univrsl Newel Plain	3.5 x 48								X		
55	9012F	W'burg Univrsl Newel Flute	3.5 x 48								X		
55	9012R	W'burg Univrsl Newel Rope	3.5 x 48								X		
55	9013	W'burg Volute Newel Plain	3.5 x 48								X		
55	9013F	W'burg Volute Newel Flute	3.5 x 48								X		
55	9013R	W'burg Volute Newel Rope	3.5 x 48								X		
55	9025	W'burg Lndg Newel Plain	3.5 x 56								X		
55	9025F	W'burg Lndg Newel Flute	3.5 x 56								X		
55	9025R	W'burg Lndg Newel Rope	3.5 x 56								X		
55	9043	W'burg Univrsl Newel Plain	3.5 x 56								X		
55	9043F	W'burg Univrsl Newel Flute	3.5 x 56								X		

Wood Balusters					Beech	Hemlock	Hickory	Maple	Poplar	Primed	Red Oak	White Oak	Yellow Pine
pg.	Model	Description	Size										
57	1805	1800's Balustr Sq Top Plain	1.75 x 35						X	X			
57	1805	1800's Balustr Sq Top Plain	1.75 x 37.5						X	X			
57	1805	1800's Balustr Sq Top Plain	1.75 x 39						X	X			
57	1805	1800's Balustr Sq Top Plain	1.75 x 44						X	X			
57	18058	1800's Balustr Sq Top Oct	1.75 x 35						X	X			
57	18058	1800's Balustr Sq Top Oct	1.75 x 37.5						X	X			
57	18058	1800's Balustr Sq Top Oct	1.75 x 39						X	X			
57	18058	1800's Balustr Sq Top Oct	1.75 x 44						X	X			
57	1805D	1800's Balustr Sq Top Reed	1.75 x 35						X	X			
57	1805D	1800's Balustr Sq Top Reed	1.75 x 37.5						X	X			
57	1805D	1800's Balustr Sq Top Reed	1.75 x 39						X	X			
57	1805D	1800's Balustr Sq Top Reed	1.75 x 44						X	X			
57	1815	1800's Balustr Pin Top Plain	1.75 x 35						X	X	X		
57	1815	1800's Balustr Pin Top Plain	1.75 x 37.5						X	X	X		
57	1815	1800's Balustr Pin Top Plain	1.75 x 39						X	X	X		
57	1815	1800's Balustr Pin Top Plain	1.75 x 44						X	X	X		
57	18158	1800's Balustr Pin Top Oct	1.75 x 35						X	X			
57	18158	1800's Balustr Pin Top Oct	1.75 x 37.5						X	X			
57	18158	1800's Balustr Pin Top Oct	1.75 x 39						X	X			
57	18158	1800's Balustr Pin Top Oct	1.75 x 44						X	X			
57	1815D	1800's Balustr Pin Top Reed	1.75 x 35						X	X	X		
57	1815D	1800's Balustr Pin Top Reed	1.75 x 37.5						X	X	X		
57	1815D	1800's Balustr Pin Top Reed	1.75 x 39						X	X	X		
57	1815D	1800's Balustr Pin Top Reed	1.75 x 44						X	X	X		
57	1825	1800's Balustr Pin Top Plain	2.25 x 35						X				
57	1825	1800's Balustr Pin Top Plain	2.25 x 37.5						X				
57	1825	1800's Balustr Pin Top Plain	2.25 x 39						X				
57	1825	1800's Balustr Pin Top Plain	2.25 x 44						X				
57	1825D	1800's Balustr Pin Top Reed	2.25 x 35						X				
57	1825D	1800's Balustr Pin Top Reed	2.25 x 37.5						X				
57	1825D	1800's Balustr Pin Top Reed	2.25 x 39						X				
57	1825D	1800's Balustr Pin Top Reed	2.25 x 44						X				
73	2005	Carolina Balustr Sq Top Plain	1.75 x 34						X	X			
73	2005	Carolina Balustr Sq Top Plain	1.75 x 38						X	X			
73	2005	Carolina Balustr Sq Top Plain	1.75 x 42						X	X			
73	20058	Carolina Balustr Sq Top Oct	1.75 x 34						X				
73	20058	Carolina Balustr Sq Top Oct	1.75 x 38						X				
73	20058	Carolina Balustr Sq Top Oct	1.75 x 42						X				
73	2005F	Carolina Balustr Sq Top Flute	1.75 x 34						X	X			
73	2005F	Carolina Balustr Sq Top Flute	1.75 x 38						X	X			
73	2005F	Carolina Balustr Sq Top Flute	1.75 x 42						X	X			
73	2005T	Carolina Balustr Sq Top Twist	1.75 x 34						X				
73	2005T	Carolina Balustr Sq Top Twist	1.75 x 38						X				
73	2005T	Carolina Balustr Sq Top Twist	1.75 x 42						X				
73	2006	Carolina Balustr Sq Top Plain	1.75 x 35				X	X	X				
73	2006	Carolina Balustr Sq Top Plain	1.75 x 37.5				X	X	X				
73	2006	Carolina Balustr Sq Top Plain	1.75 x 39				X	X	X				
73	2006	Carolina Balustr Sq Top Plain	1.75 x 44				X	X	X				
73	2006F	Carolina Balustr Sq Top Flute	1.75 x 35				X	X	X				
73	2006F	Carolina Balustr Sq Top Flute	1.75 x 37.5				X	X	X				
73	2006F	Carolina Balustr Sq Top Flute	1.75 x 39				X	X	X				
73	2006F	Carolina Balustr Sq Top Flute	1.75 x 44				X	X	X				
73	2006T	Carolina Balustr Sq Top Twist	1.75 x 35				X	X	X				
73	2006T	Carolina Balustr Sq Top Twist	1.75 x 37.5				X	X	X				
73	2006T	Carolina Balustr Sq Top Twist	1.75 x 39				X	X	X				
73	2006T	Carolina Balustr Sq Top Twist	1.75 x 44				X	X	X				
53	2011	Sierra Balustr Pin Top Plain	1.25 x 34				X	X	X	X			
53	2011	Sierra Balustr Pin Top Plain	1.25 x 38				X	X	X	X			
53	2011	Sierra Balustr Pin Top Plain	1.25 x 42				X	X	X	X			
53	2013	Sierra Balustr Pin Top Plain	1.25 x 35				X	X	X	X			
53	2013	Sierra Balustr Pin Top Plain	1.25 x 37.5				X	X	X	X			
53	2013	Sierra Balustr Pin Top Plain	1.25 x 39				X	X	X	X			
53	2013	Sierra Balustr Pin Top Plain	1.25 x 42				X	X	X	X			

Wood Balusters				Beech	Hemlock	Hickory	Maple	Poplar	Primed	Red Oak	White Oak	Yellow Pine
pg.	Model	Description	Size									
73	2016F	Carolina Balustr Pin Top Flute	1.75 x 35					X	X	X	X	
73	2016F	Carolina Balustr Pin Top Flute	1.75 x 37.5					X	X	X	X	
73	2016F	Carolina Balustr Pin Top Flute	1.75 x 39					X	X	X	X	
73	2016F	Carolina Balustr Pin Top Flute	1.75 x 44					X	X	X	X	
73	2016T	Carolina Balustr Pin Top Twist	1.75 x 35					X	X	X	X	
73	2016T	Carolina Balustr Pin Top Twist	1.75 x 37.5					X	X	X	X	
73	2016T	Carolina Balustr Pin Top Twist	1.75 x 39					X	X	X	X	
73	2016T	Carolina Balustr Pin Top Twist	1.75 x 44					X	X	X	X	
53	2025	Sierra Balustr Sq Top Plain	1.25 x 35					X	X	X	X	
53	2025	Sierra Balustr Sq Top Plain	1.25 x 37.5					X	X	X	X	
53	2025	Sierra Balustr Sq Top Plain	1.25 x 39					X	X	X	X	
53	2025	Sierra Balustr Sq Top Plain	1.25 x 42					X	X	X	X	
53	2105	Sierra Balustr Sq Top Plain	1.75 x 35					X	X	X	X	
53	2105	Sierra Balustr Sq Top Plain	1.75 x 37.5					X	X	X	X	
53	2105	Sierra Balustr Sq Top Plain	1.75 x 39					X	X	X	X	
53	2105	Sierra Balustr Sq Top Plain	1.75 x 44					X	X	X	X	
53	2111	Sierra Balustr Pin Top Plain	1.75 x 34					X	X	X	X	
53	2111	Sierra Balustr Pin Top Plain	1.75 x 38					X	X	X	X	
53	2111	Sierra Balustr Pin Top Plain	1.75 x 42					X	X	X	X	
53	2115	Sierra Balustr Pin Top Plain	1.75 x 35					X	X	X	X	
53	2115	Sierra Balustr Pin Top Plain	1.75 x 37.5					X	X	X	X	
53	2115	Sierra Balustr Pin Top Plain	1.75 x 39					X	X	X	X	
53	2115	Sierra Balustr Pin Top Plain	1.75 x 44					X	X	X	X	
61	5005	Hampton Balstr Sq Top	1.75 x 34					X	X	X	X	
61	5005	Hampton Balstr Sq Top	1.75 x 38					X	X	X	X	
61	5005	Hampton Balstr Sq Top	1.75 x 42					X	X	X	X	
61	5005H	Hampton Balstr Sq Top Oct	1.75 x 34					X	X	X	X	
61	5005H	Hampton Balstr Sq Top Oct	1.75 x 38					X	X	X	X	
61	5005H	Hampton Balstr Sq Top Oct	1.75 x 42					X	X	X	X	
61	5006	Hampton Balstr Sq Top	1.75 x 31					X	X	X	X	
61	5006	Hampton Balstr Sq Top	1.75 X 36	X	X			X	X	X	X	
61	5006	Hampton Balstr Sq Top	1.75 x 42	X	X			X	X	X	X	
61	5007	Hampton Balstr Sq Top 1-5/8"	1.625 x 36					X	X	X	X	
61	5007	Hampton Balstr Sq Top 1-5/8"	1.625 x 42					X	X	X	X	
63	5010	Classic Balustr Tapered	1.50 x 36	X				X	X	X	X	
63	5010	Classic Balustr Tapered	1.50 x 39	X				X	X	X	X	
63	5010	Classic Balustr Tapered	1.50 x 42	X				X	X	X	X	
63	5015	Colonial Balstr Pin Top	1.25 x 34	X				X	X	X	X	
63	5015	Colonial Balstr Pin Top	1.25 x 38	X				X	X	X	X	
63	5015	Colonial Balstr Pin Top	1.25 x 42	X				X	X	X	X	
63	5016	Colonial Balstr Pin Top	1.25 x 31	X	X			X	X	X	X	
63	5016	Colonial Balstr Pin Top	1.25 x 34	X	X			X	X	X	X	
63	5016	Colonial Balstr Pin Top	1.25 x 36	X	X			X	X	X	X	
63	5016	Colonial Balstr Pin Top	1.25 x 39	X	X			X	X	X	X	
63	5016	Colonial Balstr Pin Top	1.25 x 42	X	X			X	X	X	X	
63	5016	Colonial Balstr Pin Top	1.25 x 45	X	X			X	X	X	X	
65	5060	Contemporary Balstr S4S Squar	1.25 x 36	X	X			X	X	X	X	
65	5060	Contemporary Balstr S4S Squar	1.25 x 42	X	X			X	X	X	X	
65	5061	Contemporary Balstr S4S Squar	1.25 x 36					X	X	X	X	
65	5061	Contemporary Balstr S4S Squar	1.25 x 42					X	X	X	X	
63	5067	Colonial Balstr Sq Top	1.25 x 34					X	X	X	X	
63	5067	Colonial Balstr Sq Top	1.25 x 38					X	X	X	X	
63	5067	Colonial Balstr Sq Top	1.25 x 42					X	X	X	X	
63	5068	Colonial Balstr Sq Top	1.25 x 31					X	X	X	X	
63	5068	Colonial Balstr Sq Top	1.25 x 35	X				X	X	X	X	
63	5068	Colonial Balstr Sq Top	1.25 x 37.5	X				X	X	X	X	
63	5068	Colonial Balstr Sq Top	1.25 x 39	X				X	X	X	X	
63	5068	Colonial Balstr Sq Top	1.25 x 42	X				X	X	X	X	
65	5070	Balstr Square Top	1.25 x 35					X	X	X	X	
65	5070	Balstr Square Top	1.25 x 37.5					X	X	X	X	
65	5070	Balstr Square Top	1.25 x 39					X	X	X	X	
65	5070	Balstr Square Top	1.25 x 42					X	X	X	X	
61	5106	Hampton Balstr Sq Top	1.75 x 35					X	X	X	X	
61	5106	Hampton Balstr Sq Top	1.75 x 37.5					X	X	X	X	
61	5106	Hampton Balstr Sq Top	1.75 x 39					X	X	X	X	
61	5106	Hampton Balstr Sq Top	1.75 x 44					X	X	X	X	
63	5141	Colonial Balstr Sq Top	1.25 x 34	X	X			X	X	X	X	
63	5141	Colonial Balstr Sq Top	1.25 x 38	X	X			X	X	X	X	
63	5141	Colonial Balstr Sq Top	1.25 x 42	X	X			X	X	X	X	
63	5142	Colonial Balstr Sq Top	1.25 x 31					X	X	X	X	
63	5142	Colonial Balstr Sq Top	1.25 x 35	X				X	X	X	X	
63	5142	Colonial Balstr Sq Top	1.25 x 37.5	X				X	X	X	X	
63	5142	Colonial Balstr Sq Top	1.25 x 39	X				X	X	X	X	
63	5142	Colonial Balstr Sq Top	1.25 x 42	X				X	X	X	X	
61	5200	Colonial Balstr Pin Top	1.25 x 34					X	X	X	X	
61	5200	Colonial Balstr Pin Top	1.25 x 38					X	X	X	X	
61	5200	Colonial Balstr Pin Top	1.25 x 42					X	X	X	X	
61	5205	Hampton Balstr Sq Top	1.25 x 36	X	X			X	X	X	X	
61	5205	Hampton Balstr Sq Top	1.25 x 42	X	X			X	X	X	X	

Wood Balusters				Beech	Hemlock	Hickory	Maple	Poplar	Primed	Red Oak	White Oak	Yellow Pine
pg.	Model	Description	Size									
61	5300	Hampton Balstr Pin Top	1.75 x 34					X	X	X		
61	5300	Hampton Balstr Pin Top	1.75 x 38					X	X	X		
61	5300	Hampton Balstr Pin Top	1.75 x 42					X	X	X		
61	5300H	Hampton Balstr Pin Top Oct	1.75 x 34	X						X		
61	5300H	Hampton Balstr Pin Top Oct	1.75 x 38	X						X		
61	5300H	Hampton Balstr Pin Top Oct	1.75 x 42	X						X		
61	5301	Hampton Balstr Pin Top	1.75 x 35				X	X	X	X		
61	5301	Hampton Balstr Pin Top	1.75 x 37.5				X	X	X	X		
61	5301	Hampton Balstr Pin Top	1.75 x 39				X	X	X	X		
61	5301	Hampton Balstr Pin Top	1.75 x 44				X	X	X	X		
65	5360	Contemporary Balstr S4S Squar	1.75 X 36	X				X	X	X	X	X
65	5360	Contemporary Balstr S4S Squar	1.75 x 42	X				X	X	X	X	X
65	5361	Contemporary Balstr S4S Squar	1.75 X 36				X			X		
65	5361	Contemporary Balstr S4S Squar	1.75 x 42				X			X		
65	5370	Balstr Square Top	1.75 x 35					X		X		
65	5370	Balstr Square Top	1.75 x 37.5					X		X		
65	5370	Balstr Square Top	1.75 x 39					X		X		
65	5370	Balstr Square Top	1.75 x 44					X		X		
65	5380	Balstr Pin Top	1.75 x 35					X		X		
65	5380	Balstr Pin Top	1.75 x 37.5					X		X		
65	5380	Balstr Pin Top	1.75 x 39					X		X		
65	5380	Balstr Pin Top	1.75 x 44					X		X		
63	5891	Colonial Balstr Pin Top	1.25 x 34	X					X	X		
63	5891	Colonial Balstr Pin Top	1.25 x 36	X					X	X		
63	5891	Colonial Balstr Pin Top	1.25 x 39	X					X	X		
63	5891	Colonial Balstr Pin Top	1.25 x 42	X					X	X		
63	5892	Colonial Balstr Pin Top	1.25 x 34	X					X	X		
63	5892	Colonial Balstr Pin Top	1.25 x 36	X					X	X		
63	5892	Colonial Balstr Pin Top	1.25 x 39	X					X	X		
63	5892	Colonial Balstr Pin Top	1.25 x 42	X					X	X		
63	5894	Colonial Balstr Pin Top	1.25 x 34	X					X	X		
63	5894	Colonial Balstr Pin Top	1.25 x 36	X					X	X		
63	5894	Colonial Balstr Pin Top	1.25 x 39	X					X	X		
63	5894	Colonial Balstr Pin Top	1.25 x 42	X					X	X		
56	8515	Jefferson Balstr Pin Top Plain	1.75 x 35					X		X		
56	8515	Jefferson Balstr Pin Top Plain	1.75 x 37.5					X		X		
56	8515	Jefferson Balstr Pin Top Plain	1.75 x 39					X		X		
56	8515	Jefferson Balstr Pin Top Plain	1.75 x 44					X		X		
56	8515H	Jefferson Balstr Pin Top Oct	1.75 x 35							X		
56	8515H	Jefferson Balstr Pin Top Oct	1.75 x 37.5							X		
56	8515H	Jefferson Balstr Pin Top Oct	1.75 x 39							X		
56	8515H	Jefferson Balstr Pin Top Oct	1.75 x 44					X		X		
56	8515F	Jefferson Balstr Pin Top Flute	1.75 x 35					X		X		
56	8515F	Jefferson Balstr Pin Top Flute	1.75 x 37.5					X		X		
56	8515F	Jefferson Balstr Pin Top Flute	1.75 x 39					X		X		
56	8515F	Jefferson Balstr Pin Top Flute	1.75 x 44					X		X		
56	8515R	Jefferson Balstr Pin Top Rope	1.75 x 35					X		X		
56	8515R	Jefferson Balstr Pin Top Rope	1.75 x 37.5					X		X		
56	8515R	Jefferson Balstr Pin Top Rope	1.75 x 39					X		X		
56	8515R	Jefferson Balstr Pin Top Rope	1.75 x 44					X		X		
58	9005	W'burg Balstr Sq Top Plain	1.75 x 35					X		X		
58	9005	W'burg Balstr Sq Top Plain	1.75 x 37.5					X		X		
58	9005	W'burg Balstr Sq Top Plain	1.75 x 39					X		X		
58	9005	W'burg Balstr Sq Top Plain	1.75 x 44					X		X		
58	9005F	W'burg Balstr Sq Top Flute	1.75 x 35					X		X		
58	9005F	W'burg Balstr Sq Top Flute	1.75 x 37.5					X		X		
58	9005F	W'burg Balstr Sq Top Flute	1.75 x 39					X		X		
58	9005F	W'burg Balstr Sq Top Flute	1.75 x 44					X		X		
58	9005R	W'burg Balstr Sq Top Rope	1.75 x 35					X		X		
58	9005R	W'burg Balstr Sq Top Rope	1.75 x 37.5					X		X		
58	9005R	W'burg Balstr Sq Top Rope	1.75 x 39					X		X		
58	9005R	W'burg Balstr Sq Top Rope	1.75 x 44					X		X		
58	9015	W'burg Balstr Pin Top Plain	1.75 x 35					X		X		
58	9015	W'burg Balstr Pin Top Plain	1.75 x 37.5					X		X		
58	9015	W'burg Balstr Pin Top Plain	1.75 x 39					X		X		
58	9015	W'burg Balstr Pin Top Plain	1.75 x 44					X		X		
58	9015F	W'burg Balstr Pin Top Flute	1.75 x 35					X		X		
58	9015F	W'burg Balstr Pin Top Flute	1.75 x 37.5					X		X		
58	9015F	W'burg Balstr Pin Top Flute	1.75 x 39					X		X		
58	9015F	W'burg Balstr Pin Top Flute	1.75 x 44					X		X		
58	9015R	W'burg Balstr Pin Top Rope	1.75 x 35					X		X		
58	9015R	W'burg Balstr Pin Top Rope	1.75 x 37.5					X		X		
58	9015R	W'burg Balstr Pin Top Rope	1.75 x 39					X		X		
58	9015R	W'burg Balstr Pin Top Rope	1.75 x 44					X		X		



No detail is too small,
No element insignificant...

This is true craftsmanship.

This is Crown Heritage, one of the nation's
largest stairparts manufacturer and provider
of handcrafted solutions to fit every home
with timeless designs.

www.crownheritage.com

